

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/13/2024

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Trade name : Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control  
Product code : 1203-17

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : US FDA OTC Sunscreen Products

#### 1.3. Supplier

Murad, LLC  
2121 Park Place, 1st Floor  
El Segundo, CA 90245  
T (310) 726-0600  
[www.murad.com](http://www.murad.com)

#### 1.4. Emergency telephone number

Emergency number : (310) 726-0600

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

No labeling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Butyloctyl Salicylate	(CAS-No.) 190085-41-7	<5	Aquatic Chronic 4, H413
Glycerin	(CAS-No.) 56-81-5	<5	Acute Tox. 4 (Inhalation:dust,mist), H332
PEG-100 Stearate	(CAS-No.) 9004-99-3	<5	Comb. Dust
Phenoxyethanol	(CAS-No.) 122-99-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Dam. 1, H318 STOT SE 3, H335
Ethylhexylglycerin	(CAS-No.) 70445-33-9	<1	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Limonene	(CAS-No.) 5989-54-8	<0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	(CAS-No.) 78-70-6	<0.01	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Citral	(CAS-No.) 5392-40-5	<0.01	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
First-aid measures after skin contact	: If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
------------------------------	--

#### 5.2. Specific hazards arising from the chemical

Fire hazard	: Not flammable.
Explosion hazard	: Product is not explosive.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire with normal precautions from a reasonable distance.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

##### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clear up spills immediately and dispose of waste safely.
-------------------------	--

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Keep container closed to avoid product contamination.
-------------------------------	---

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Tapioca Starch (9005-25-8)	
ACGIH OEL TWA	10 mg/m <sup>3</sup>
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL TWA	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
NIOSH REL (TWA)	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Glycerin (56-81-5)</b>	
Remark (ACGIH)	URT irr
OSHA PEL TWA	15 mg/m <sup>3</sup> (mist, total particulate) 5 mg/m <sup>3</sup> (mist, respirable fraction)
<b>Cellulose (9004-34-6)</b>	
ACGIH OEL TWA	10 mg/m <sup>3</sup>
OSHA PEL TWA	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
NIOSH REL (TWA)	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)
<b>Sodium Benzoate (532-32-1)</b>	
ACGIH OEL TWA	2.5 mg/m <sup>3</sup> (inhalable particulate matter)
ACGIH chemical category	Not Suspected as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route
<b>Urea (57-13-6)</b>	
WEEL TWA	10 mg/m <sup>3</sup>
<b>Citral (5392-40-5)</b>	
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
<b>Pinene (80-56-8)</b>	
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
<b>Benzyl Alcohol (100-51-6)</b>	
WEEL TWA	10 ppm

### 8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

None needed.

#### Hand protection:

None needed

#### Eye protection:

None needed

#### Skin and body protection:

None needed

#### Respiratory protection:

None needed

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque viscous cream
Color	: White to off-white
Odor	: Characteristic
Odor threshold	: No data available
pH	: 6.0 – 7.0
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Density	: 1.02 – 1.06 g/cm <sup>3</sup>
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: 15,000 – 45,000 cP
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None.

### 10.2. Chemical stability

Product is stable.

### 10.3. Possibility of hazardous reactions

Stable.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Water (7732-18-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 90 ml/kg (Source: FOOD_JOURN)
<b>Octocrylene (6197-30-4)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
<b>Homosalate (118-56-9)</b> (Historical information; not tested on animals for cosmetics)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
<b>Butyloctyl Salicylate (190085-41-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: NICNAS)
LD50 dermal rat	> 2000 mg/kg (Source: NICNAS)
<b>Propanediol (504-63-2)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	15.8 g/kg (Source: EPA_HPVS)
LD50 dermal rabbit	> 20 g/kg (Source: NLM_HSDS)
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE US (oral)	15800 mg/kg body weight
<b>Glycerin (56-81-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	12600 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 10 g/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 2.75 mg/l/4h
ATE US (oral)	12600 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Pentylene Glycol (5343-92-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	12700 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 7015 mg/m <sup>3</sup> (Exposure time: 4 h Source: ECHA_API)
ATE US (oral)	12700 mg/kg body weight
<b>Cetearyl Alcohol (67762-27-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10000 mg/kg (Source: OECD_SIDS)
LD50 dermal rabbit	> 10000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 21 mg/l (Exposure time: 1 h Source: ECHA)
<b>PEG-100 Stearate (9004-99-3)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	53 ml/kg (Source: NLM_CIP)
ATE US (oral)	53000 mg/kg body weight
<b>Coco-Glucoside (110615-47-9)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA)
<b>Phenoxyethanol (122-99-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1850 mg/kg (Source: EU_CLH)
LD50 dermal rat	14422 mg/kg
LD50 dermal rabbit	5 ml/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h Source: EU_CLH)
ATE US (oral)	1850 mg/kg body weight
ATE US (dermal)	5550 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h
<b>Xylitol (87-99-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	16500 mg/kg (Source: NLM_CIP)
ATE US (oral)	16500 mg/kg body weight
<b>Tetrasodium Glutamate Diacetate (51981-21-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 4.2 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
<b>Laureth-12 (9002-92-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
ATE US (oral)	1000 mg/kg body weight
<b>Glucose (50-99-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	25800 mg/kg (Source: NLM_CIP)
ATE US (oral)	25800 mg/kg body weight
<b>Cellulose (9004-34-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 5800 mg/m <sup>3</sup> (Exposure time: 4 h Source: NLM_CIP)
<b>Capryloyl Salicylic Acid (78418-01-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3354 mg/kg (Source: NICNAS)
LD50 dermal rat	> 2000 mg/kg (Source: NICNAS)
ATE US (oral)	3354 mg/kg body weight
<b>Aminomethyl Propanol (124-68-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2900 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	2900 mg/kg body weight
<b>Potassium Sorbate (590-00-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3800 mg/kg (Source: NZ_CCID)
ATE US (oral)	3800 mg/kg body weight

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Dimethyl Phenethyl Acetate (151-05-3)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3300 mg/kg (Source: NLM_CIP)
ATE US (oral)	3300 mg/kg body weight
<b>Sodium Benzoate (532-32-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4070 mg/kg (Source: NLM_CIP)
ATE US (oral)	4070 mg/kg body weight
<b>Urea (57-13-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	8471 mg/kg (Source: NLM_CIP)
ATE US (oral)	8471 mg/kg body weight
<b>Cellulose Gum (9004-32-4)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	27000 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 5800 mg/m <sup>3</sup> (Exposure time: 4 h Source: NLM_CIP)
ATE US (oral)	27000 mg/kg body weight
<b>Linalool (78-70-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
<b>Caprylic/Capric Triglyceride (73398-61-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: IUCLID)
LC50 Inhalation - Rat	> 1.86 mg/l (Exposure time: 6 h Source: ECHA_API)
ATE US (dust, mist)	1.5 mg/l/4h
<b>Citric Acid (77-92-9)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: EU_CLH)
ATE US (oral)	3000 mg/kg body weight
<b>Linalyl Acetate (115-95-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPVP)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)
ATE US (oral)	14550 mg/kg body weight
<b>Tocopherol (10191-41-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 4000 mg/kg (Source: ECHA)
LD50 dermal rat	> 3000 mg/kg (Source: ECHA)
<b>Citral (5392-40-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight
<b>Pinene (80-56-8)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	3700 mg/kg body weight
<b>Taurine (107-35-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 700 mg/kg (Source: EFSA)
ATE US (oral)	500 mg/kg body weight
<b>Hexadecanolactone (109-29-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Benzyl Alcohol (100-51-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2 g/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 4178 mg/m <sup>3</sup> (Exposure time: 4 h Source: ECHA_API)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
<b>Trimethylbenzenepropanol (103694-68-4)</b> (Historical information; not tested on animals for cosmetics)	
LD50 dermal rabbit	> 5 ml/kg (Source: ECHA_API)
<b>Mentha Viridis (Spearmint) Leaf Oil (8008-79-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	5 g/kg (Source: NLM_CIP)
ATE US (oral)	5000 mg/kg body weight
<b>Carvone (99-49-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1640 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 4000 mg/kg (Source: NLM_HSDB)
ATE US (oral)	1640 mg/kg body weight
<b>Ethylhexyl Salicylate (118-60-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: EU_CLH)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)

Skin corrosion/irritation	: Not classified	pH: 6.0 – 7.0
Serious eye damage/irritation	: Not classified	pH: 6.0 – 7.0
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Glycerin (56-81-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 5000 mg/l
<b>Pentylene Glycol (5343-92-0)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 1096 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
<b>Cetearyl Alcohol (67762-27-0)</b> (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [1]	1666 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>Phenoxyethanol (122-99-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	≥ 366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
<b>Tetrasodium Glutamate Diacetate (51981-21-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
<b>Capryloyl Salicylic Acid (78418-01-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	< 16 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
<b>Aminomethyl Propanol (124-68-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	190 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: IUCLID)
EC50 - Crustacea [1]	193 mg/l (Exposure time: 48 h - Species: Daphnia magna)



# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium Benzoate (532-32-1)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	420 – 558 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
EC50 - Crustacea [1]	< 650 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
<b>Urea (57-13-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	16200 – 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata Source: EPA)
EC50 - Crustacea [1]	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
<b>Linalool (78-70-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>Citric Acid (77-92-9)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus Source: OECD_SIDS)
<b>Linalyl Acetate (115-95-7)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
<b>Citral (5392-40-5)</b> (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>Pinene (80-56-8)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>Benzyl Alcohol (100-51-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
<b>Ethylhexyl Salicylate (118-60-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 82 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)

### 12.2. Persistence and degradability

Not established.

### 12.3. Bioaccumulative potential

<b>Octocrylene (6197-30-4)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(887 dimensionless (normalised lipid fraction))
Partition coefficient n-octanol/water (Log Pow)	6.1 (at 23 °C)
<b>Homosalate (118-56-9)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	> 6 (at 40 °C)
<b>Butyloctyl Salicylate (190085-41-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	6.2 (at 20 °C (at pH 7))
<b>Butyl Methoxydibenzoylmethane (70356-09-1)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	6.1 (at 20 °C (at pH 6.9))
<b>Glycerin (56-81-5)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4))
<b>Propanediol Dicaprylate (1072005-10-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	7.6 (at 22 °C)
<b>Pentylene Glycol (5343-92-0)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	0.06 (at 25 °C)
<b>Cetearyl Alcohol (67762-27-0)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1300 dimensionless (activated sludge))
Partition coefficient n-octanol/water (Log Pow)	6.65
<b>Phenoxyethanol (122-99-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.107



# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Bisabolol (23089-26-1)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 25 °C (at pH $\geq 5.9$ - $\leq 6.2$ ))
<b>Chlorphenesin (104-29-0)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 23 °C (at pH 6.4))
<b>Allantoin (97-59-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-2.26 (at 23 °C)
<b>Tetrasodium Glutamate Diacetate (51981-21-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0 (at 27 °C (at pH 7))
<b>Laureth-12 (9002-92-0)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.937 (at 23 °C (at pH 5.27))
<b>Limonene (5989-54-8)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2))
<b>Capryloyl Salicylic Acid (78418-01-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	0.32 (at 20 °C (at pH $\geq 6.36$ - $\leq 7.17$ ))
<b>Aminomethyl Propanol (124-68-5)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	-0.63 (at 20 °C (at pH $> 9$ ))
<b>Dimethyl Phenethyl Acetate (151-05-3)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.64 (at 25 °C (at pH $> 6$ - $< 7$ ))
<b>Sodium Benzoate (532-32-1)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-2.13
<b>Urea (57-13-6)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(10 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (at 22 °C)
<b>Linalool (78-70-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7))
<b>Trehalose (99-20-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0.3 (at 25 °C (at pH $\geq 6$ - $\leq 7$ ))
<b>Citric Acid (77-92-9)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.72 (at 20 °C)
<b>Linalyl Acetate (115-95-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
<b>Citral (5392-40-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
<b>Pinene (80-56-8)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.1
<b>Taurine (107-35-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.3 (at 20 °C (at pH $\geq 5$ - $\leq 7$ ))
<b>Betaine (107-43-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	$\leq -3.1$ (at 20 °C)
<b>Inositol (87-89-8)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-2.08
<b>Hexadecanolactone (109-29-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4 – 7.2 (at 20 °C)
<b>Beta-Caryophyllene (87-44-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7))
<b>Benzyl Alcohol (100-51-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.05

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Trimethylbenzenepropanol (103694-68-4)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.07 (at 20 °C)
<b>Ethylhexyl Salicylate (118-60-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	> 6 (at 40 °C (at pH 7.71)

**12.4. Mobility in soil**

No additional information available

**12.5. Other adverse effects**

Other information : Avoid release to the environment.

**SECTION 13: Disposal considerations**

**13.1. Disposal methods**

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecological waste information : Avoid release to the environment.

**SECTION 14: Transport information**

**Department of Transportation (DOT)**

Not regulated as hazmat for transport

**Transportation of Dangerous Goods**

Not regulated as hazmat for transport

**Transport by sea**

Not regulated as hazmat for transport

**Air transport**

Not regulated as hazmat for transport

**SECTION 15: Regulatory information**

**15.1. US Federal regulations**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

**15.2. International regulations**

**Canada-Regulations**

No additional information available

**EU-Regulations**

No additional information available

**National regulations**

No additional information available

**15.3. US State regulations**

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Tapioca Starch (9005-25-8)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Glycerin (56-81-5)	U.S. - New Jersey - Right to Know Hazardous Substance List
Phenoxyethanol (122-99-6)	U.S. - Pennsylvania - RTK (Right to Know) List
Cellulose (9004-34-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Aminomethyl Propanol (124-68-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Pinene (80-56-8)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

# Superactive Moisturizer SPF 40: Mattifying Oil + Pore Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Benzyl Alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

**SECTION 16: Other information**

Data sources : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.


Full text of hazard classes and H-statements listed in Section 3:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*