SAFETY DATA SHEET

Date: 08/19/2015

PRODUCT NAME: Cuccio Colour Veneer- PREP

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME: Cuccio Colour Veneer- PREPProduct Use: Nail PreparationManufacturer's Name :Star Nail International, Inc.Address :29120 Avenue PaineCity, State, Zip :Valencia, CA 91355

Chemical Family : Solvent Proprietary Mix CAS# 141-78-6 / 99-97-8

Preparation Date of SDS: August 19,2015 24 HR. EMERGENCY TELEPHONE: CHEMTEL 1-800-255-3924

SECTION 2: HAZARDS IDENTIFICATION

HAZARD DESIGNATION

"F" – Highly flammable

"Xi" – Irritant

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear, transparent liquid with strong fruity odor.

IMMEDIATE CONCERNS: Highly Flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapors may cause drowsiness and dizziness.

POTENTIAL HEALTH EFFECTS

EYES: R36: Irritating to eyes.

SKIN: R66: Repeated exposure may cause skin dryness and cracking.

INGESTION: May cause headache, drowsiness and possible unconsciousness.

INHALATION: Vapors may cause drowsiness and dizziness.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE TOXICITY: Vapors may be irritating to eyes, throat and mucous membranes; ingestion may cause headache, drowsiness and possible unconsciousness.

WARNING CAUTION LABELS: Keep out of Reach of Children.

PHYSICAL HAZARDS: R11: Highly Flammable.

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS #	EINECS	Classification	
Ethyl Acetate	90 - 100	141-78-6	205-500-4	Xi, F; R11, R36, R66, R67	
Dimethyltolylamine	0 - 0.02	99-97-8	202-805-4	T; R33, R23/24/25, R52/53	

SECTION 4 : FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: S46: If swallowed, seek medical advice immediately and show this container or label.

INHALATION: Remove to fresh air. Get medical attention if breathing is difficult.



SAFETY DATA SHEET

PRODUCT NAME: Cuccio Colour Veneer- PREP

Date: 08/19/2015

SECTION 5 : FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: 1.11°C (30°F) TCC

FLAMMABLE LIMITS: 2 to 11.4

GENERAL HAZARD: R11: Highly Flammable.

EXTINGUISHING MEDIA: Use dry chemical, foam or carbon dioxide.

EXPLOSION HAZARDS: Vapors can travel to a source of ignition and flash back.

FIRE FIGHTING PROCEDURES: Avoid using large quantities of water.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand,

(MSHA/NIOSH approved or equivalent) and full protective gear.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide or carbon dioxide.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

LARGE SPILL: Dike area to contain spill. Take precautions as necessary to prevent contamination of ground and surface waters. Recover spilled material on adsorbent, such as sawdust or vermiculite, and sweep into closed containers for disposal. After all visible traces, including ignitible vapors, have been removed thoroughly wet vacuum the area. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: This product is readily biodegradable. Do not release into surface waters.

SECTION 7 : HANDLING AND STORAGE

GENERAL PROCEDURES: Avoid breathing of vapors. Use only in well ventilated areas. When handling, do not eat, drink or smoke.

HANDLING: S51: Use only in well-ventilated areas.

STORAGE: S3/9: Keep in a cool, well ventilated place and Keep away from sources of ignition.

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)					
	EXPOSURE LIMITS				
		OSHA PEL	ACGIH TLV	SupplierOEL	
Chemical Name		ppm mg/m3	ppm mg/m3	ppm mg/m3	
Ethyl Acetate	TWA	400 ppm NL	400 ppm NL	NL NL	
		STEL NL	NL NL	NL NL	

NL

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Avoid contact with eyes.

SKIN: S37: Wear suitable gloves.

RESPIRATORY: S51: Use only in well-ventilated areas.



SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Strong fruity odor. COLOR: Clear, transparent. VAPOR PRESSURE: 73 mmHg at 200° C (392° F) VAPOR DENSITY: 3 (Air=1) BOILING POINT: 770° C (1710° F) MELTING POINT: Not Established FLASHPOINT AND METHOD: 1.11° C (30° F) TCC SOLUBILITY IN WATER: Slightly soluble. EVAPORATION RATE: 4.5 (n-Butyl Acetate=1) SPECIFIC GRAVITY: 0.900 (water=1) VISCOSITY #1: < 5 Centipoise

SECTION 10: STABILITY AND REACTIVITY

STABLE: Yes HAZARDOUS POLYMERIZATION: No CONDITIONS TO AVOID: Heat, sparks and flame. HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, dioxide. INCOMPATIBLE MATERIALS: Strong oxidizing agents, acids and bases.

SECTION 11: TOXICOLOGICAL INFORMATION

EYE EFFECTS: Irritating to eyes. SKIN EFFECTS: Irritating to skin.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: This product is readily biodegradable. Do not release into surface waters.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: S56: Dispose of this material and its container to hazardous or special waste collection point.

SECTION 14: TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Consumer Commodity, ORM-D.

SAFE	TY DATA SHEET				
PRODUCT NAME: Cuccio Colour Veneer- PRE	Date:	08/19/2015			
AIR (ICAO/IATA)					
SHIPPING NAME: Ethyl Acetate					
UN/NA NUMBER: 1173					
PRIMARY HAZARD CLASS/DIVISION: 3					
PACKING GROUP: II					
NOTE: Consumer Commodity, ID 8000, 9, label Package	Orientation (Arrows Up). Max	per unit 25 KG.G.			
VESSEL (IMO/IMDG)					
SHIPPING NAME: Ethyl Acetate					
UN/NA NUMBER: 1173					
PRIMARY HAZARD CLASS/DIVISION: 3.2					
PACKING GROUP: II					
SECTION 15: REGULATORY INFORMATION					
UNITED STATES					
CERCLA (COMPREHENSIVE RESPONSE, COMPENSATI	ON, AND LIABILITY ACT)				
Chemical Name	Wt.%	CERCLA RQ			
Ethyl Acetate	90 - 100	5000 lbs.			

TSCA SECTION
12b,
-

TSCA STATUS: All ingredients in this mixture are in compliance with TSCA.

California Prop 65:

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin: 99-97-8 Dimethyltolylamine 0.1 to 1.0 % Carcinogen

EUROPEAN COMMUNITY: EEC LABEL SYMBOL AND CLASSIFICATION

"F" - Highly flammable

"Xi" - Irritant



SECTION 16: ADDITIONAL REGULATORY INFORMATION

RELEVANT R-PHRASES:R11: Highly flammable.

R36: Irritating to eyes.

- R66: Repeated exposure may cause skin dryness or cracking.
- R67: Vapors may cause drowsiness and dizziness.

R33: Danger of cumulative effects.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R52/53: Do not empty into drains.

Preparation Date of SDS: 08/19/2015

SAFETY DATA SHEET PRODUCT NAME: Cuccio Colour Veneer- PREP Date: 08/19/2015

DISCLAIMER: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. Star Nail International assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

PROD	DUCT N	AME: Cuccio Colour Venee			A SHEET Date: 08/19/2015	
Secti	ON 17:	OTHER INFORMATION				
HAZA	heal ⁻ Flam	MABILITY:	N SYSTE	EM (HM) 1 3	IS) RATING:	
	REACTIVITY: PERSONAL PROTECTION EQUIPMEN			T: Gloves and Safety Glasses		
NATIC	heal ⁻ Flam		on (nf 0	РА) НА 1 3	ZARD IDENTIFICATION RATING:	
ABBR	eviatic	DNS:				
NA NE		pplicable stablished		ND	Not Determined	
pm mg gm kg Pa	Part p Milligr Gram Kilogr Pasca	am		G L mol u p	Gallon Liter Mole Micro Pico	
LC TC BOD TLm DOC	Toxic Biolog Threst	Il Concentration Concentration gical Oxygen Demand hold Limit ved Organic Carbon	TD	LD Toxic COD	Lethal Dose Dose Chemical Oxygen Demand	
H D W	Hours Days Week			M Y	Months Years	
ACGIHAmerican ConferenceCPRControlled Product's RegulaDSLCanadian Domestic SubstaNDSLCanadian Non-DomesticIARCInternational Agency for ReNOELNo Observed Effect LevelNOAELNo Observed Adverse EffectOSHAOccupational Safety and HPELPermissible Exposure LimitTLVThreshold Limit Value			ulation tances tic Subs Researc ect Lev	List stance ch for C vel	Cancer	

END OF SDS