

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/16/2021

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Essential-C Day Moisture Broad Spectrum SPF 30 PA+++

Product code : 4269-10

1.2. Recommended use and restrictions on use

Use of the substance/mixture : US FDA OTC Sunscreen Products

1.3. Supplier

Murad, LLC 2121 Park Place, 1st Floor El Segundo, CA 90245 T (310) 726-0600 www.murad.com

1.4. Emergency telephone number

Emergency number : (310) 726-0600

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification	
Ethylhexyl Salicylate	(CAS-No.) 118-60-5	≤5	Aquatic Acute 3, H402	
Butylene Glycol	(CAS-No.) 107-88-0	<5	STOT SE 3, H335 STOT SE 3, H336	
Stearic Acid	(CAS-No.) 57-11-4	<5	Comb. Dust	
Benzophenone-3	(CAS-No.) 131-57-7	<5	Aquatic Acute 2, H401 Aquatic Chronic 2, H411	
Isodecyl Neopentanoate	(CAS-No.) 60209-82-7	<5	Aquatic Chronic 1, H410	
PEG-100 Stearate	(CAS-No.) 9004-99-3	<5	Comb. Dust	
Dimethicone	(CAS-No.) 63148-62-9 <5 Eye Irrit. 2A		Eye Irrit. 2A, H319	
Cetyl Alcohol			Aquatic Acute 1, H400 Comb. Dust	
Phenoxyethanol			Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Irrit. 2, H319	
Limonene (CAS-No.) 68647-72-3 <1		Skin Sens. 1B, H317		
Skin Irrit. 2, H315 Eye Irrit. 2, H319		Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412		
Caprylyl Glycol	(CAS-No.) 1117-86-8	<1	Skin Irrit. 2, H315 Aquatic Acute 3, H402 Aquatic Chronic 3, H412	

04/16/2021 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
Sorbic Acid	(CAS-No.) 110-44-1	<1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 3, H402 Comb. Dust
Linalool	(CAS-No.) 78-70-6	<0.01	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air.

Allow affected person to rest.

First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with

mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from

entering environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

04/16/2021 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep container closed to avoid product contamination.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Stearic Acid (57-11-4)		
ACGIH OEL TWA	10 mg/m³ (inhalable particulate matter (Stearates) 3 mg/m³ (respirable particulate matter (Stearates)	
Urea (57-13-6)		
WEEL TWA	10 mg/m³	
Titanium Dioxide (13463-67-7)		
ACGIH OEL TWA	10 mg/m³	
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
OSHA PEL (TWA) [1]	15 mg/m³ (total dust)	
IDLH	5000 mg/m ³	
NIOSH REL (TWA)	2.4 mg/m³ (CIB 63-fine) 0.3 mg/m³ (CIB 63-ultrafine, including engineered nanoscale)	
BHT (128-37-0)		
Local name	Butylated hydroxytoluene	
ACGIH OEL TWA	2 mg/m³	
Remark (ACGIH)	URT irr	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
NIOSH REL (TWA)	10 mg/m³	
Quartz (14808-60-7)		
ACGIH OEL TWA	0.025 mg/m³ (respirable particulate matter)	
ACGIH chemical category	Suspected Human Carcinogen	
OSHA PEL (TWA) [1]	50 μg/m³ (Respirable crystalline silica)	
IDLH	50 mg/m³ (respirable dust)	
NIOSH REL (TWA)	0.05 mg/m³ (respirable dust)	
Citral (5392-40-5)		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

04/16/2021 EN (English US) 3/10

: No data available

: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Opaque, smooth, semi-viscous cream

Color : Light pink
Odor : Citrus

Odor threshold : No data available

pH : 5.7 – 6.5

Melting point : No data available Freezing point No data available Boiling point : No data available : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Density 0.99 - 1.01 g/cm³ Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : 20,000 - 30,000 cP Viscosity **Explosion limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive properties
Oxidizing properties

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Water (7732-18-5) (Historical information; not tested on animals for cosmetics)		
LD50 oral rat 201 ml/kg		
ATE US (oral) 201000 mg/kg body weight		
Ethylhovyd Mathavysinnamata (EASS 77.2) (Historical information; not tosted an animals for competics)		

LD50 oral rat > 20 ml/kg

04/16/2021 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	mation; not tested on animals for cosmetics)
LD50 dermal rabbit	> 5000 mg/kg
Ethylhexyl Salicylate (118-60-5) (Histo	rical information; not tested on animals for cosmetics)
LD50 dermal rat	> 5000 mg/kg
Butylene Glycol (107-88-0) (Historical i	nformation; not tested on animals for cosmetics)
LD50 oral rat	18610 mg/kg
LC50 Inhalation - Rat [ppm]	> 60 ppm (Exposure time: 8 h)
ATE US (oral)	18610 mg/kg body weight
Stearic Acid (57-11-4) (Historical inform	nation; not tested on animals for cosmetics)
LD50 oral rat	4600 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	4600 mg/kg body weight
	information; not tested on animals for cosmetics)
LD50 oral rat	> 12.8 g/kg
LD50 dermal rabbit	> 16 g/kg
	al information; not tested on animals for cosmetics)
LD50 oral rat	53 ml/kg
ATE US (oral)	53000 mg/kg body weight
• •	formation; not tested on animals for cosmetics)
LD50 oral rat	> 24 g/kg
Cetyl Alcohol (36653-82-4) (Historical in	nformation; not tested on animals for cosmetics)
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	11300 mg/kg
Phenoxyethanol (122-99-6) (Historical i	information; not tested on animals for cosmetics)
LD50 oral rat	1850 mg/kg
LD50 dermal rat	14422 mg/kg
LD50 dermal rabbit	5 ml/kg
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h)
ATE US (oral)	1850 mg/kg body weight
ATE US (dermal)	5547 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h
Aminomethyl Propanol (124-68-5) (His	torical information; not tested on animals for cosmetics)
LD50 oral rat	2900 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	2900 mg/kg body weight
	2-6) (Historical information; not tested on animals for cosmetics)
LD50 oral rat	> 2000 mg/kg
	nation; not tested on animals for cosmetics)
LD50 oral rat	3200 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	3200 mg/kg body weight
	nformation; not tested on animals for cosmetics)
LD50 oral rat	2 g/kg
ATE US (oral)	2000 mg/kg body weight
Urea (57-13-6) (Historical information; no	ot tested on animals for cosmetics)
LD50 oral rat	8471 mg/kg
ATE US (oral)	8471 mg/kg body weight
Titanium Dioxide (13463-67-7) (Historia	cal information; not tested on animals for cosmetics)
LD50 oral rat	> 10000 mg/kg
BHT (128-37-0) (Historical information; r	
LD50 oral rat	> 2930 mg/kg
LD50 dermal rat	> 2000 mg/kg
EDOG GOTTIGITAL	= 2000 mg/ng

04/16/2021 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Citric Acid (77-92-9) (Historical information; no	t tested on animals for cosmetics)
LD50 oral rat	3 g/kg
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	3000 mg/kg body weight
Linalool (78-70-6) (Historical information; not to	ested on animals for cosmetics)
LD50 oral rat	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Potassium Sorbate (24634-61-5) (Historical in	formation; not tested on animals for cosmetics)
LD50 oral rat	3200 mg/kg
ATE US (oral)	3200 mg/kg body weight
Tocopheryl Acetate (7695-91-2) (Historical infe	ormation; not tested on animals for cosmetics)
LD50 dermal rat	> 3000 mg/kg
Citral (5392-40-5) (Historical information; not te	ested on animals for cosmetics)
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight
Retinyl Palmitate (79-81-2) (Historical information	tion; not tested on animals for cosmetics)
LD50 oral rat	7910 mg/kg
ATE US (oral)	7910 mg/kg body weight
Yellow 6 (2783-94-0) (Historical information; no	et tested on animals for cosmetics)
LD50 oral rat	> 10000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Eugenol (97-53-0) (Historical information; not to	ested on animals for cosmetics)
LD50 oral rat	1930 mg/kg
ATE US (oral)	1930 mg/kg body weight
Skin corrosion/irritation	: Not classified
Chili Gori Gori i i i i i i i i i i i i i i i i i i	pH: 5.7 – 6.5
Serious eye damage/irritation	: Not classified
contact of damagemmaticm	pH: 5.7 – 6.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Ethylhexyl Salicylate (118-60-5) (His	torical information; not tested on animals for cosmetics)		
LC50 - Fish [1]	> 82 mg/l (Exposure time: 96 h - Species: Danio rerio [static])		
Benzophenone-3 (131-57-7) (Historic	al information; not tested on animals for cosmetics)		
LC50 - Fish [1]	3.8 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])		
Cetyl Alcohol (36653-82-4) (Historica	l information; not tested on animals for cosmetics)		
LC50 - Fish [1]	> 0.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])		

04/16/2021 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)

Aminomethyl Propanol (124-68-5) (Historical information	
	tion; not tested on animals for cosmetics)
LC50 - Fish [1] 190	mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1] 193	mg/l (Exposure time: 48 h - Species: Daphnia magna)
Caprylyl Glycol (1117-86-8) (Historical information; no	ot tested on animals for cosmetics)
LC50 - Fish [1] 2.2 -	- 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Sorbic Acid (110-44-1) (Historical information; not test	ted on animals for cosmetics)
The second secon	ng/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
EC50 - Crustacea [1] 353.	54 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Disodium EDTA (139-33-3) (Historical information; not	t tested on animals for cosmetics)
	mg/l (Exposure time: 96 h - Species: Poecilia reticulata [semi-static])
Urea (57-13-6) (Historical information; not tested on an	imals for cosmetics)
	00 – 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
The second secon	O mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Citric Acid (77-92-9) (Historical information; not tested	on animals for cosmetics)
	6 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
Linalool (78-70-6) (Historical information; not tested or	
	mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
	ng/l (Exposure time: 48 h - Species: Daphnia magna)
Potassium Sorbate (24634-61-5) (Historical information	
	O mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
	mg/l (Exposure time: 48 h - Species: Daphnia magna)
Tocopheryl Acetate (7695-91-2) (Historical information	
	10 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
1 - 7a-6	
Citral (5392-40-5) (Historical information; not tested on EC50 - Crustacea [1] 7 mg	g/l (Exposure time: 48 h - Species: Daphnia magna)
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Eugenol (97-53-0) (Historical information; not tested or	
LC50 - Fish [1] 13 m	ng/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
12.2. Persistence and degradability	
Tetrahexyldecyl Ascorbate (183476-82-6) (Historical	information; not tested on animals for cosmetics)
Persistence and degradability Not	established.
12.3. Bioaccumulative potential	
The Control of the Co	
Cetyl Alcohol (36653-82-4) (Historical information; not	
Partition coefficient n-octanol/water (Log Pow) 6.65	
Phenoxyethanol (122-99-6) (Historical information; no	College Control (College Control (Colleg
	(at 25 °C)
Aminomethyl Propanol (124-68-5) (Historical information	tion; not tested on animals for cosmetics)
BCF - Fish [1] < 1	
Tetrahexyldecyl Ascorbate (183476-82-6) (Historical	information; not tested on animals for cosmetics)
Bioaccumulative potential Not	established.
Sorbic Acid (110-44-1) (Historical information; not test	ted on animals for cosmetics)
Partition coefficient n-octanol/water (Log Pow) 1.38	(at 20 °C)
Urea (57-13-6) (Historical information; not tested on an	imals for cosmetics)
BCF - Fish [1] < 10	
Partition coefficient n-octanol/water (Log Pow) -1.59	9 (at 25 °C)
BHT (128-37-0) (Historical information; not tested on a	nimals for cosmetics)
	2500
BCF - Fish [1] 230	- 2500
BCF - Fish [1] 230 Partition coefficient n-octanol/water (Log Pow) 4.17	

04/16/2021 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)				
Partition coefficient n-octanol/water (Log Pow) -1.72 (at 20 °C)				
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)				
Partition coefficient n-octanol/water (Log Pow) 2.84 – 3.1 (at 25 °C)				
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)				
Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)				

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated as hazmat for transport

Transportation of Dangerous Goods

Not regulated as hazmat for transport

Transport by sea

Not regulated as hazmat for transport

Air transport

Not regulated as hazmat for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

U.S California - Proposition 65: Titanium Dioxide (13463-67-7)					
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	No significance risk level (NSRL)	Maximum allowable dose level (MADL)
Yes (NOTE: Unbound, airborne, respirable particles only; not applicable to this product)	No	No	No		

04/16/2021 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S California - Proposition 65: Retinyl Palmitate (79-81-2)					
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	No significance risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No	8,000 IU/day if pregnant or nursing 10,000 IU/day	

Component	State or local regulations
Phenoxyethanol (122-99-6)	U.S Pennsylvania - RTK (Right to Know) List
Aminomethyl Propanol (124-68-5)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Titanium Dioxide (13463-67-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
BHT (128-37-0)	U.S New Jersey - Right to Know Hazardous Substance List
Glycine Soja (Soybean) Oil (8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

SECTION 16: Other information

Data sources

H227

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 3:

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H350	May cause cancer
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects


Combustible liquid

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

: 0 - Materials that will not burn under typical fire conditions,

including intrinsically noncombustible materials such as concrete, stone, and sand.

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

NFPA reactivity

NFPA fire hazard

Health : 0 Minimal Hazard - No significant risk to health Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

04/16/2021 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

04/16/2021 EN (English US) 10/10