

SECTION 1: Identification**1.1. Identification**

Product form : Mixture
 Trade name : Targeted Eye Depuffer
 Product code : 1185-14

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Murad, LLC
 2121 Park Place, 1st Floor
 El Segundo, CA 90245
 T (310) 726-0600
www.murad.com

1.4. Emergency telephone number

Emergency number : (310) 726-0600

SECTION 2: Hazard(s) identification**2.1. Classification of the substance or mixture****GHS US classification**

Not classified

2.2. GHS Label elements, including precautionary statements**GHS US labeling**

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Caffeine	(CAS-No.) 58-08-2	<5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332
Glycerin	(CAS-No.) 56-81-5	<5	Acute Tox. 4 (Inhalation:dust,mist), H332
Octyldodecanol	(CAS-No.) 5333-42-6	<5	Acute Tox. 4 (Dermal), H312
Hydroxyacetophenone	(CAS-No.) 99-93-4	<1	Aquatic Acute 3, H402
Ethylhexylglycerin	(CAS-No.) 70445-33-9	<1	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Titanium Dioxide	(CAS-No.) 13463-67-7	<1	Carc. 2, H351 (NOTE: Unbound, airborne, respirable particles only; not applicable to this product)
Benzyl Alcohol	(CAS-No.) 100-51-6	<0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures**4.1. Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
 First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.

Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Not flammable.
- Explosion hazard : Product is not explosive.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep container closed to avoid product contamination.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glycerin (56-81-5)	
Remark (ACGIH)	URT irr
OSHA PEL (TWA) [1]	15 mg/m ³ (mist, total particulate) 5 mg/m ³ (mist, respirable fraction)
Titanium Dioxide (13463-67-7)	
ACGIH OEL TWA	0.2 mg/m ³ (nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale respirable particulate matter)

Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL (TWA) [1]	15 mg/m ³ (total dust)
IDLH	5000 mg/m ³
NIOSH REL (TWA)	2.4 mg/m ³ (CIB 63-fine) 0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale)

Silica (7631-86-9)

IDLH	3000 mg/m ³
NIOSH REL (TWA)	6 mg/m ³

Sodium Hydroxide (1310-73-2)

ACGIH OEL Ceiling	2 mg/m ³
OSHA PEL (TWA) [1]	2 mg/m ³
IDLH	10 mg/m ³
NIOSH REL (Ceiling)	2 mg/m ³
US-NIOSH chemical category	SK: DIR(COR) Apr 2011

Benzyl Alcohol (100-51-6)

WEEL TWA [ppm]	10 ppm
----------------	--------

Tin Oxide (18282-10-5)

NIOSH REL (TWA)	2 mg/m ³
-----------------	---------------------

Urea (57-13-6)

WEEL TWA	10 mg/m ³
----------	----------------------

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque Gel
Color	: Yellow
Odor	: Characteristic
Odor threshold	: No data available
pH	: 4.7 – 5.2
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available

Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Density	: 1.00 – 1.04 g/cm ³
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: 20,000 – 50,000 cP
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Water (7732-18-5) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight

Caffeine (58-08-2) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	367.7 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	4.94 mg/l/4h
ATE US (oral)	367.7 mg/kg body weight
ATE US (vapors)	4.94 mg/l/4h
ATE US (dust, mist)	4.94 mg/l/4h

Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10 g/kg
LC50 Inhalation - Rat	> 2.75 mg/l/4h
ATE US (oral)	12600 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h

Propanediol (504-63-2) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	15.8 g/kg
LD50 dermal rabbit	> 20 g/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE US (oral)	15800 mg/kg body weight

Octyldodecanol (5333-42-6) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2 ml/kg
ATE US (dermal)	1100 mg/kg body weight

Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Caprylyl/Capryl Glucoside (68515-73-1) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rabbit	> 2000 mg/kg
Hydroxyacetophenone (99-93-4) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rabbit	> 2000 mg/kg
Synthetic Fluorphlogopite (12003-38-2) (Historical information; not tested on animals for cosmetics)	
LC50 Inhalation - Rat	> 5 mg/l/4h
Titanium Dioxide (13463-67-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10000 mg/kg
LC50 Inhalation - Rat	5.09 mg/l/4h
ATE US (vapors)	5.09 mg/l/4h
ATE US (dust, mist)	5.09 mg/l/4h
Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7900 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 58.8 mg/l/4h
ATE US (oral)	7900 mg/kg body weight
Sodium Hydroxide (1310-73-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	325 mg/kg
LD50 dermal rabbit	1350 mg/kg
Sodium Hyaluronate (9067-32-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 800 mg/kg
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg
LD50 dermal rabbit	2 g/kg
LC50 Inhalation - Rat	> 4178 mg/m ³ (Exposure time: 4 h)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Tetrahexyldecyl Ascorbate (183476-82-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 2000 mg/kg
Xylitol (87-99-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	16500 mg/kg
ATE US (oral)	16500 mg/kg body weight
Caprylic Acid (124-07-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	10080 mg/kg
LD50 dermal rabbit	> 5 g/kg
ATE US (oral)	10080 mg/kg body weight
Tin Oxide (18282-10-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	700 mg/kg
LC50 Inhalation - Rat	> 2.04 mg/l/4h
ATE US (oral)	700 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
Caprylyl Glycol (1117-86-8) (Historical information; not tested on animals for cosmetics)	
LC50 Inhalation - Rat	> 7.015 mg/l/4h
Urea (57-13-6)	
LD50 oral rat	8471 mg/kg
ATE US (oral)	8471 mg/kg body weight
Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3 g/kg
LD50 dermal rat	> 2000 mg/kg

Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)	
ATE US (oral)	3000 mg/kg body weight
Taurine (107-35-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 700 mg/kg
ATE US (oral)	500 mg/kg body weight
Tocopherol (10191-41-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 4000 mg/kg
LD50 dermal rat	> 3000 mg/kg
Skin corrosion/irritation	: Not classified pH: 5.8 – 6.8
Serious eye damage/irritation	: Not classified pH: 5.8 – 6.8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Titanium Dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Caffeine (58-08-2) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	151 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 5000 mg/l
Caprylyl/Capryl Glucoside (68515-73-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	170 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Hydroxyacetophenone (99-93-4) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	25 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 - Crustacea [1]	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)
Sodium Hydroxide (1310-73-2) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Caprylic Acid (124-07-2) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
LC50 - Fish [2]	110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
Tin Oxide (18282-10-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Caprylyl Glycol (1117-86-8) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	2.2 – 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	16200 – 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 - Crustacea [1]	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Caffeine (58-08-2) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.091 (at 23 °C)

Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4))

Pyrus Malus (Apple) Fruit Extract (85251-63-4) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0.3 (at 25 °C (at pH 4))

Chlorphenesin (104-29-0) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 23 °C (at pH 6.4))

Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(no bioaccumulation expected)

Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.05

Tetrahexyldecyl Ascorbate (183476-82-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	> 6.2 (at 24 °C)
Bioaccumulative potential	Not established.

Caprylic Acid (124-07-2) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.05

Caprylyl Glycol (1117-86-8) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.1 (at 25 °C (at pH 6))

Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(10 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (at 22 °C)

Trehalose (99-20-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0.3 (at 25 °C (at pH >=6-<=7))

Citric Acid (77-92-9)	
Partition coefficient n-octanol/water (Log Pow)	-1.72 (at 20 °C)

Betaine (107-43-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	≤ -3.1 (at 20 °C)

Inositol (87-89-8) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-2.08

Taurine (107-35-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.3 (at 20 °C (at pH >=5-<=7))

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated as hazmat for transport

Transportation of Dangerous Goods

Not regulated as hazmat for transport

Transport by sea

Not regulated as hazmat for transport

Air transport

Not regulated as hazmat for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

U.S. - California - Proposition 65: Titanium Dioxide (13463-67-7)					
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	No significance risk level (NSRL)	Maximum allowable dose level (MADL)
Yes (NOTE: Unbound, airborne, respirable particles only; not applicable to this product)	No	No	No		

Component	State or local regulations
Glycerin (56-81-5)	U.S. - New Jersey - Right to Know Hazardous Substance List
Titanium Dioxide (13463-67-7)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Silica (7631-86-9)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Sodium Hydroxide (1310-73-2)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzyl Alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Tin Oxide (18282-10-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Massachusetts - Right To Know List

SECTION 16: Other information

Data sources

: **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 3:

H302 Harmful if swallowed
H312 Harmful in contact with skin
H318 Causes serious eye damage
H332 Harmful if inhaled
H351 Suspected of causing cancer
H402 Harmful to aquatic life


Targeted Eye Depuffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H412 Harmful to aquatic life with long lasting effects

- NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
- NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

- Health : 0 Minimal Hazard - No significant risk to health
- Flammability : 0 Minimal Hazard - Materials that will not burn
- Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.