

SECTION 1: Identification**1.1. Identification**

Product form : Mixture
Trade name : Superactive Moisturizer SPF 50: Brightening
Product code : 1200-12

1.2. Recommended use and restrictions on use

Use of the substance/mixture : US FDA OTC Sunscreen Products

1.3. Supplier

Murad, LLC
2121 Park Place, 1st Floor
El Segundo, CA 90245
T (310) 726-0600
www.murad.com

1.4. Emergency telephone number

Emergency number : (310) 726-0600

SECTION 2: Hazard(s) identification**2.1. Classification of the substance or mixture****GHS US classification**

Not classified

2.2. GHS Label elements, including precautionary statements**GHS US labeling**

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Butyloctyl Salicylate	(CAS-No.) 190085-41-7	<5	Aquatic Chronic 4, H413
Ethylhexylglycerin	(CAS-No.) 70445-33-9	<1	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Aminomethyl Propanol	(CAS-No.) 124-68-5	<1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Cellulose	(CAS-No.) 9004-34-6	<1	STOT SE 3, H335 Comb. Dust
Sodium Citrate	(CAS-No.) 6132-04-3	≤0.1	Comb. Dust
Limonene	(CAS-No.) 5989-27-5	<0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures**4.1. Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.

First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Not flammable.
- Explosion hazard : Product is not explosive.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep container closed to avoid product contamination.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Stearic Acid (57-11-4)	
ACGIH OEL TWA	10 mg/m ³ (inhalable particulate matter (Stearates)) 3 mg/m ³ (respirable particulate matter (Stearates))
Cellulose (9004-34-6)	
ACGIH OEL TWA	10 mg/m ³
OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
NIOSH REL (TWA)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Limonene (5989-27-5)	
WEEL TWA	30 ppm

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6)	
WEEL TWA	10 mg/m ³
Sodium Benzoate (532-32-1)	
ACGIH OEL TWA	2.5 mg/m ³ (inhalable particulate matter)
ACGIH chemical category	Not Suspected as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route
Titanium Dioxide (13463-67-7)	
ACGIH OEL TWA	0.2 mg/m ³ (nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale respirable particulate matter)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL TWA	15 mg/m ³ (total dust)
IDLH	5000 mg/m ³
NIOSH REL (TWA)	2.4 mg/m ³ (CIB 63-fine) 0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale)
Pinene (80-56-8)	
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque viscous cream
Color	: White to off-white
Odor	: Characteristic
Odor threshold	: No data available
pH	: 4.5 – 5.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.99 – 1.03 g/cm ³
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity	: 5,000 – 15,000 cP
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 90 ml/kg (Source: FOOD_JOURN)
Homosalate (118-56-9) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Ethylhexyl Salicylate (118-60-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: EU_CLH)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
Octocrylene (6197-30-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Propanediol (504-63-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	15.8 g/kg (Source: EPA_HPVS)
LD50 dermal rabbit	> 20 g/kg (Source: NLM_HSDS)
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE US (oral)	15800 mg/kg body weight
Butyloctyl Salicylate (190085-41-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: NICNAS)
LD50 dermal rat	> 2000 mg/kg (Source: NICNAS)
Palmitic Acid (57-10-3) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10 g/kg (Source: NLM_CIP)
Cetearyl Alcohol (67762-27-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10000 mg/kg (Source: OECD_SIDS)
LD50 dermal rabbit	> 10000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 21 mg/l (Exposure time: 1 h Source: ECHA)
Stearic Acid (57-11-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4600 mg/kg (Source: EPA_HPVS)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
ATE US (oral)	4600 mg/kg body weight

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aminomethyl Propanol (124-68-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2900 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	2900 mg/kg body weight
Sodium PCA (54571-67-4) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Caprylhydroxamic Acid (7377-03-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	10700 mg/kg (Source: NLM_CIP)
ATE US (oral)	10700 mg/kg body weight
Cellulose (9004-34-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 5800 mg/m ³ (Exposure time: 4 h Source: NLM_CIP)
Tocopheryl Acetate (7695-91-2) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 3000 mg/kg (Source: ECHA_API)
Tetrasodium Glutamate Diacetate (51981-21-6) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 4.2 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
ATE US (oral)	4400 mg/kg body weight
Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	8471 mg/kg (Source: NLM_CIP)
ATE US (oral)	8471 mg/kg body weight
Sodium Benzoate (532-32-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4070 mg/kg (Source: NLM_CIP)
ATE US (oral)	4070 mg/kg body weight
Cellulose Gum (9004-32-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	27000 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 5800 mg/m ³ (Exposure time: 4 h Source: NLM_CIP)
ATE US (oral)	27000 mg/kg body weight
Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: EU_CLH)
ATE US (oral)	3000 mg/kg body weight
Titanium Dioxide (13463-67-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10000 mg/kg (Source: IUCLID)
LC50 Inhalation - Rat	5.09 mg/l/4h
ATE US (vapors)	5.09 mg/l/4h
ATE US (dust, mist)	5.09 mg/l/4h
Lauric Acid (143-07-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	12 g/kg (Source: NLM_CIP)
ATE US (oral)	12000 mg/kg body weight
Myristic Acid (544-63-8) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10 g/kg (Source: NLM_CIP)
Taurine (107-35-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 700 mg/kg (Source: EFSA)
ATE US (oral)	500 mg/kg body weight

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Caprylic/Capric Triglyceride (73398-61-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: IUCLID)
LC50 Inhalation - Rat	> 1.86 mg/l (Exposure time: 6 h Source: ECHA_API)
ATE US (dust, mist)	1.5 mg/l/4h
Tocopherol (10191-41-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 4000 mg/kg (Source: ECHA)
LD50 dermal rat	> 3000 mg/kg (Source: ECHA)
Pinene (80-56-8) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	3700 mg/kg body weight
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Skin corrosion/irritation	: Not classified pH: 4.5 – 5.5
Serious eye damage/irritation	: Not classified pH: 4.5 – 5.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Ethylhexyl Salicylate (118-60-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 82 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
Palmitic Acid (57-10-3) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	150 mg/l (Exposure time: 96 h - Species: Oryzias latipes)
Cetearyl Alcohol (67762-27-0) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [1]	1666 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Aminomethyl Propanol (124-68-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	190 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: IUCLID)
EC50 - Crustacea [1]	193 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Tocopheryl Acetate (7695-91-2) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)
Tetrasodium Glutamate Diacetate (51981-21-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	> 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	16200 – 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata Source: EPA)
EC50 - Crustacea [1]	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Benzoate (532-32-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	420 – 558 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
EC50 - Crustacea [1]	< 650 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus Source: OECD_SIDS)
Lauric Acid (143-07-7) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	5 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static] Source: ECHA)
Myristic Acid (544-63-8) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	118 mg/l (Exposure time: 96 h - Species: Oryzias latipes [static] Source: IUCLID)
Pinene (80-56-8) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	
Not established.	
12.3. Bioaccumulative potential	
Homosalate (118-56-9) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	> 6 (at 40 °C)
Ethylhexyl Salicylate (118-60-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	> 6 (at 40 °C (at pH 7.71)
Octocrylene (6197-30-4) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(887 dimensionless (normalised lipid fraction)
Partition coefficient n-octanol/water (Log Pow)	6.1 (at 23 °C)
Butyl Methoxydibenzoylmethane (70356-09-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	6.1 (at 20 °C (at pH 6.9)
Butyloctyl Salicylate (190085-41-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	6.2 (at 20 °C (at pH 7)
3-O-Ethyl Ascorbic Acid (86404-04-8) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.8 (at 20 °C (at pH 7)
Palmitic Acid (57-10-3) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	7.17
Cetearyl Alcohol (67762-27-0) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1300 dimensionless (activated sludge)
Partition coefficient n-octanol/water (Log Pow)	6.65
Chlorphenesin (104-29-0) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 23 °C (at pH 6.4)
Aminomethyl Propanol (124-68-5) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	-0.63 (at 20 °C (at pH >9)
Panthenol (16485-10-2) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.02 (at 22 °C (at pH >6.82-<7.48)
Sodium PCA (54571-67-4) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< -2.12 (at 22.7 °C (at pH >=6.5-<=7.4)
Tetrasodium Glutamate Diacetate (51981-21-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0 (at 27 °C (at pH 7)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(10 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (at 22 °C)
Trehalose (99-20-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0.3 (at 25 °C (at pH >=6-<=7)
Sodium Benzoate (532-32-1) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-2.13
Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.72 (at 20 °C)
Lauric Acid (143-07-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.2
Myristic Acid (544-63-8) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	5.9
Taurine (107-35-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.3 (at 20 °C (at pH >=5-<=7)
Betaine (107-43-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	≤ -3.1 (at 20 °C)
Inositol (87-89-8) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-2.08
Pinene (80-56-8) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.1
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated as hazmat for transport

Transportation of Dangerous Goods

Not regulated as hazmat for transport

Transport by sea

Not regulated as hazmat for transport

Air transport

Not regulated as hazmat for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

U.S. - California - Proposition 65: Titanium Dioxide (13463-67-7)					
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	No significance risk level (NSRL)	Maximum allowable dose level (MADL)
Yes (NOTE: Unbound, airborne, respirable particles only; not applicable to this product)	No	No	No		

Component	State or local regulations
Aminomethyl Propanol (124-68-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Cellulose (9004-34-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Titanium Dioxide (13463-67-7)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Pinene (80-56-8)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

SECTION 16: Other information

Data sources

: **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of hazard classes and H-statements listed in Section 3:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

NFPA health hazard


: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 0 Minimal Hazard - No significant risk to health

Flammability

: 0 Minimal Hazard - Materials that will not burn

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Superactive Moisturizer SPF 50: Brightening

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.