SAFETY DATA SHEET

K-PAK Reconstructive Extra Body Acid Wave for Normal/Resistant, Fine/Limp, Tinted and Highlighted Hair - Activator



Section 1. Identification

Product Name	: K-PAK Reconstructive Extra Body Acid Wave for Normal/Resistant, Fine/Limp, Tinted and Highlighted Hair - Activator
Other means of identification	: Not available.
Recommended use	: Hair Care Product
Restrictions on use	: Use only as directed on the product label.
Manufacturer	: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com
Validation date	: 5/15/2015.
In case of emergency	: (800) 584-8038 [24 Hours]
<u>Telephone number</u>	: (203) 656-7859 [8:30 a.m 5:00 p.m.]
Transportation Emergency	: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]
Product type	: Liquid.

Section 2. Hazards identification

Emergency overview

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 79.9%
GHS label elements	
Signal word	: Warning
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear eye or face protection. Wash hands thoroughly after handling.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

3316A

1/9

Section 3. Composition/information on ingredients

Substance/mixture

```
: Mixture
```

United States

Name	%	CAS number
glycerol	19.98	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necess	ary first aid measures
E construction of	Electric 20 alternation for

Eye contact	 Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell.
Skin contact	 Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse.
Ingestion	: Get medical attention immediately.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically.
Specific treatments	: No specific treatment.
Protection of first-aiders	: Use suitable protective equipment (section 8).

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

		3316A		
Date of issue/Date of revision	: 5/15/2015.	Date of previous issue	<mark>:</mark> 5/15/2015.	Version : 17

2/9

K-PAK Reconstructive Extra Body Acid Wave for Normal/Resistant, Fine/Limp, Tinted and Highlighted Hair - Activator

Section 6. Accidental release measures

Personal precautions, protect	<u>tiv</u>	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Dilute with water and mop up if water-soluble.
Large spill	: Stop leak if without risk. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.

Section 8. Exposure controls/personal protection

United States

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013).
	TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

3/9

Date of issue/Date of revision	: 5/15/2015.	Date of previous issue	: 5/15/2015.	Version : 17

Section 8. Exposure controls/personal protection

Environmental exposure	1	Emissions from ventilation or work process equipment should be checked to ensure
controls		they comply with the requirements of environmental protection legislation. In some
		cases, fume scrubbers, filters or engineering modifications to the process equipment
		will be necessary to reduce emissions to acceptable levels.

<u>Individual</u>	protection m	<u>1easures</u>
Hygiene	measures	:

nygione measures	 Here is a second s
Hygiene measures	: Avoid contact with skin and eyes. If in eyes or on skin, rinse well with water. When using do not eat, drink or smoke.
Eye/face protection	: Wear eye/face protection.
Skin protection	
Hand protection	: Wear suitable gloves.
Body protection	: Wear suitable protective clothing.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid. [Viscous liquid.]
Color	: Hazy
Odor	: Mild. Sulfurous.
Boiling point	: >212°C (>413.6°F)
Flash point	: Closed cup: Not applicable.
Relative density	: 1.2 to 1.4

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	3316A
Date of issue/Date of revision	: 5/15/2015. Date of previous issue : 5/15/2015. Version : 17 4/9

Section 11. Toxicological information

United States

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	 Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. May be irritating to mouth, throat and stomach.
•	 hysical, chemical and toxicological characteristics Adverse symptoms may include the following: irritation
Inhalation	watering redness : No specific data.
Skin contact Ingestion	 No specific data. No specific data.

Section 11. Toxicological information

Delayed and immediate effec	ts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxic	<u>ity</u>
Acute toxicity estimates	
Not available.	

Section 12. Ecological information

United States

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

Date of issue/Date of revision

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

K-PAK Reconstructive Extra Body Acid Wave for Normal/Resistant, Fine/Limp, Tinted and Highlighted Hair - Activator

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG* : Packing group

Section 15. Regulatory information

U								
S. Federal regulations	:	TSCA 8	(a) CDR Exer	npt/Parti	ial exemption	: Not determir	ned	
		United \$	States invent	tory (TSC	CA 8b): All con	nponents are	listed or exemp	ted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not liste	d					
Clean Air Act Section 602 Class I Substances	:	Not liste	d					
Clean Air Act Section 602 Class II Substances	:	Not listed						
DEA List I Chemicals (Precursor Chemicals)	:	Not listed						
DEA List II Chemicals (Essential Chemicals)	:	Not liste	d					
<u>SARA 302/304</u>								
Composition/information	on	ingredier	<u>nts</u>					
No products were found.								
SARA 304 RQ	:	Not app	licable.					
<u>SARA 311/312</u>								
Classification	: Immediate (acute) health hazard							
Composition/information	on	<u>ingredie</u>	<u>nts</u>					
Name			%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
glycerol			19.98	No.	No.	No.	Yes.	No.

Section 15. Regulatory information

State regulations	
Massachusetts	: The following components are listed: GLYCERINE MIST
New York	: None of the components are listed.
New Jersey	: The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL
Pennsylvania	: The following components are listed: 1,2,3-PROPANETRIOL
Water and Toxic Enfor Not available. nternational regulation	SITION 65: The following statement is made in order to comply with the California Safe Drinking cement Act of 1986. This product is not known to the State of California to cause cancer.
Not listed.	
Montreal Protocol (Ani Not listed.	nexes A, B, C, E)
Stockholm Convention Not listed.	<u>n on Persistent Organic Pollutants</u>
Rotterdam Convention Not listed.	<u>on Prior Inform Consent (PIC)</u>
UNECE Aarhus Protoc Not listed.	ol on POPs and Heavy Metals
Canada	: Not controlled under WHMIS (Canada).
WHMIS (Canada) Canadian lists	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substance	•
Canada inventory	: All components are listed or exempted.
his product has been o	classified in accordance with the hazard criteria of the Controlled Products Regulations all the information required by the Controlled Products Regulations.
<u>lexico</u>	
Classification	the second s
	0 Flammability
	Health 1 0 Reactivity
	Special
	· ·
Section 16. Oth	ner information
lazardous Material Info	ormation System (U.S.A.)



K-PAK Reconstructive Extra Body Acid Wave for Normal/Resistant, Fine/Limp, Tinted and Highlighted Hair - Activator

Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of printing	: 5/15/2015.
Date of issue/Date of revision	: 5/15/2015.
Date of previous issue	: 5/15/2015.
Version	: 17
References	: Not available

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.