

**SECTION 1: Identification****1.1. Identification**

Product form : Mixture  
 Trade name : Targeted Pore Corrector  
 Product code : 1184-02

**1.2. Recommended use and restrictions on use**

Use of the substance/mixture : Cosmetics

**1.3. Supplier**

Murad, LLC  
 2121 Park Place, 1st Floor  
 El Segundo, CA 90245  
 T (310) 726-0600  
[www.murad.com](http://www.murad.com)

**1.4. Emergency telephone number**

Emergency number : (310) 726-0600

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

Not classified

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

No labeling applicable

**2.3. Other hazards which do not result in classification**

No additional information available

**2.4. Unknown acute toxicity (GHS US)**

Not applicable

**SECTION 3: Composition/Information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

Name	Product identifier	Conc.	GHS US classification
Cetyl Alcohol	(CAS-No.) 36653-82-4	<5	Acute Tox. 4 (Inhalation:dust,mist), H332
Ethylhexylglycerin	(CAS-No.) 70445-33-9	<1	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Carbonate	(CAS-No.) 497-19-8	<1	Eye Irrit. 2, H319
Phenoxyethanol	(CAS-No.) 122-99-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

**SECTION 4: First-aid measures****4.1. Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.

First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

# Targeted Pore Corrector

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : Not flammable.
- Explosion hazard : Product is not explosive.

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep container closed to avoid product contamination.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Barium Sulfate (7727-43-7)	
ACGIH OEL TWA	5 mg/m <sup>3</sup> (inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica)
OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
NIOSH REL (TWA)	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)
Glycerin (56-81-5)	
Remark (ACGIH)	URT irr
OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (mist, total particulate) 5 mg/m <sup>3</sup> (mist, respirable fraction)
Urea (57-13-6)	
WEEL TWA	10 mg/m <sup>3</sup>

# Targeted Pore Corrector

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

None needed.

#### Hand protection:

None needed

#### Eye protection:

None needed

#### Skin and body protection:

None needed

#### Respiratory protection:

None needed

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque viscous cream
Color	: Off-white to Light beige
Odor	: Characteristic
Odor threshold	: No data available
pH	: 5.5 – 6.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.96 – 1.00 g/cm <sup>3</sup>
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: 50,000 – 100,000 cP
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None.

### 10.2. Chemical stability

Product is stable.

### 10.3. Possibility of hazardous reactions

Stable.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

# Targeted Pore Corrector

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Water (7732-18-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
<b>Propanediol (504-63-2)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	15.8 g/kg
LD50 dermal rabbit	> 20 g/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE US (oral)	15800 mg/kg body weight
<b>Cetyl Alcohol (36653-82-4)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	11300 mg/kg
LC50 Inhalation - Rat	> 1.5 mg/l/4h
ATE US (dermal)	11300 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
<b>Potassium Cetyl Phosphate (19035-79-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 2000 mg/kg
<b>Butylene Glycol (107-88-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	18610 mg/kg
LC50 Inhalation - Rat [ppm]	> 60 ppm (Exposure time: 8 h)
ATE US (oral)	18610 mg/kg body weight
<b>Barium Sulfate (7727-43-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	307000 mg/kg
ATE US (oral)	307000 mg/kg body weight
<b>Phenoxyethanol (122-99-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1850 mg/kg
LD50 dermal rat	14422 mg/kg
LD50 dermal rabbit	5 ml/kg
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h)
ATE US (oral)	1850 mg/kg body weight
ATE US (dermal)	5550 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h
<b>Dehydroacetic Acid (520-45-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	500 mg/kg
ATE US (oral)	500 mg/kg body weight
<b>Sodium Hyaluronate (9067-32-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 800 mg/kg
<b>Tetrasodium Glutamate Diacetate (51981-21-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 4.2 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
<b>Potassium Sorbate (590-00-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3800 mg/kg
ATE US (oral)	3800 mg/kg body weight
<b>Lactic Acid (79-33-4)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 7.94 mg/l/4h

# Targeted Pore Corrector

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Lactic Acid (79-33-4)</b> (Historical information; not tested on animals for cosmetics)	
ATE US (oral)	3730 mg/kg body weight
<b>Mannose (3458-28-4)</b> (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 5000 mg/kg
<b>Glycerin (56-81-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10 g/kg
LC50 Inhalation - Rat	> 2.75 mg/l/4h
ATE US (oral)	12600 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
<b>Lauric Acid (143-07-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	12 g/kg
ATE US (oral)	12000 mg/kg body weight
<b>Urea (57-13-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	8471 mg/kg
ATE US (oral)	8471 mg/kg body weight
<b>Copper Sulfate (7758-98-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	300 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	300 mg/kg body weight
<b>Proline (147-85-3)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5110 mg/kg
<b>Taurine (107-35-7)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 700 mg/kg
ATE US (oral)	500 mg/kg body weight
<b>Tocopherol (10191-41-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 4000 mg/kg
LD50 dermal rat	> 3000 mg/kg
Skin corrosion/irritation	: Not classified pH: 5.5 – 6.5
Serious eye damage/irritation	: Not classified pH: 5.5 – 6.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Cetyl Alcohol (36653-82-4)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 0.4 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [semi-static])
<b>Potassium Cetyl Phosphate (19035-79-1)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	113 mg/l (Exposure time: 96 h - Species: <i>Danio rerio</i> [semi-static])
<b>Phenoxyethanol (122-99-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	≥ 366 mg/l (Exposure time: 96 h - Species: <i>Pimephales promelas</i> [static])
<b>Tetrasodium Glutamate Diacetate (51981-21-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [semi-static])

# Targeted Pore Corrector

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Lactic Acid (79-33-4)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	320 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
EC50 - Crustacea [1]	240 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	100 – 180 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [2]	180 – 320 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
<b>Glycerin (56-81-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 5000 mg/l
<b>Lauric Acid (143-07-7)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	5 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
<b>Urea (57-13-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	16200 – 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 - Crustacea [1]	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
<b>Copper Sulfate (7758-98-7)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	0.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	0.0058 – 0.0073 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

### 12.2. Persistence and degradability

Not established.

### 12.3. Bioaccumulative potential

<b>Cetyl Alcohol (36653-82-4)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	6.7
<b>Butylene Glycol (107-88-0)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.9 (at 25 °C (at pH 7.5))
<b>Phenoxyethanol (122-99-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.107
<b>Chlorphenesin (104-29-0)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 23 °C (at pH 6.4))
<b>Tetrasodium Glutamate Diacetate (51981-21-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0 (at 27 °C (at pH 7))
<b>Lactic Acid (79-33-4)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.54 (at 25 °C)
<b>Mannose (3458-28-4)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-2.71 (at 25 °C (at pH >=8.04-<=8.73))
<b>Glycerin (56-81-5)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4))
<b>Lauric Acid (143-07-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.2
<b>Urea (57-13-6)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(10 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (at 22 °C)
<b>Trehalose (99-20-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	< 0.3 (at 25 °C (at pH >=6-<=7))
<b>Proline (147-85-3)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-2.54 (at 20 °C (at pH 7))
<b>Inositol (87-89-8)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-2.08
<b>Taurine (107-35-7)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.3 (at 20 °C (at pH >=5-<=7))

### 12.4. Mobility in soil

No additional information available

# Targeted Pore Corrector

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

Not regulated as hazmat for transport

### Transportation of Dangerous Goods

Not regulated as hazmat for transport

### Transport by sea

Not regulated as hazmat for transport

### Air transport

Not regulated as hazmat for transport

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### Canada-Regulations

No additional information available

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Barium Sulfate (7727-43-7)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Phenoxyethanol (122-99-6)	U.S. - Pennsylvania - RTK (Right to Know) List
Glycine Soja (Soybean) Germ Extract (8001-22-7)	U.S. - Pennsylvania - RTK (Right to Know) List
Glycerin (56-81-5)	U.S. - New Jersey - Right to Know Hazardous Substance List
Copper Sulfate (7758-98-7)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

## SECTION 16: Other information

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 3:

H302 Harmful if swallowed  
H318 Causes serious eye damage  
H330 Fatal if inhaled


# Targeted Pore Corrector

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H332 Harmful if inhaled  
H335 May cause respiratory irritation  
H412 Harmful to aquatic life with long lasting effects

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.  
NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.  
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Hazard Rating

Health : 0 Minimal Hazard - No significant risk to health  
Flammability : 0 Minimal Hazard - Materials that will not burn  
Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*