

acc. to OSHA HCS

SAFETY DATA SHEET EYELASH LIFT ADHESIVE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE

Product Name: Adhesive, Eyelash lift Adhesive

Company Code: 3D

Other Means of Identification: Mixture Adhesives

Recommended Use of Mixture: Adhesive Applications. An Eyelash Lift Adhesive.

Supplier Details

3D Beauty International 75 Bunsen Irvine, CA USA 92618 (949) 788-0266

www.3d-beauty.com

Emergency Phone Number

Chemtrec

US & Canada: 1-(800)-535-5053 International: 1-(353)-323-3500

SECTION 2: HAZARD IDENTIFICATION

. Classification of the substance or mixture



GHS07

Acute Toxicity, Oral	4	H302	Harmful if swallowed
Skin Irrit.	2	H315	Causes skin irritation.
Eye Irrit.	2A	H319	Causes serious eye irritation.
STOT SE	3	H335	May cause respiratory irritation.
Respiratory System	3	H351	Suspected of causing cancer.

H227 Combustible liquid.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Irritant



acc. to OSHA HCS

Irritating to eyes, respiratory system and skin.

· Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:
- · Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.



acc. to OSHA HCS

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

Components:	CAS No.	Concentration	
Water	7732-18-5	50%	
Butyl Hydroxy Anisol	100-66-3	35%	
Propylene Glycol	57-55-6	15%	

SECTION 4: FIRST-AID MEASURES

Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Breathing difficulty
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: ACCIDENTAL RELEASE MEASURES



acc. to OSHA HCS

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Allow to solidify. Pick up mechanically.

Ensure adequate ventilation.

Do not use cotton or natural fiber cloths for clean up

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

Handling:

· Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:		
100-66	100-66-3 Butyl Hydroxy Anisol	
TLV	TLV Long-term value: 1 mg/m³, 0.2 ppm	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls



acc. to OSHA HCS

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Cotton or natural fibers

PVC gloves

Eye protection:

Safety glasses



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties



acc. to OSHA HCS

· General Information

· Appearance:

Form:
Color:
Off White
Odor:
Characteristic
Odour threshold:
Not determined.
pH-value:
Not determined.

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:> 150 °C (> 302 °F)• Flash point:87 °C (189 °F)• Flammability (solid, gaseous):Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

• **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Not determined.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure at 20 °C (68 °F): 0.3 hPa

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 0.0%Solids content: 100.0%

• Other information No further relevant information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Reacts with alcohols, amines, aqueous acids and alkalis.

Reacts with water and acids.

- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.



acc. to OSHA HCS

• Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: TOXICOLOGY INFORMATION

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
100-66-3	Butyl Hydroxy Anisop	3
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

SECTION 13: DISPOSAL CONSIDERATIONS

- · Waste treatment methods
- · Recommendation:



acc. to OSHA HCS

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

TTT				•	
Uľ	N – I	Nu	ım	цb	er

· DOT NA1993 · ADN, IMDG, IATA Void

· UN proper shipping name

DOT VoidADN, IMDG, IATA Void

· Transport hazard class(es) · DOT, ADN, IMDG, IATA

· Class Void

· Packing group

· DOT III Void

· Environmental hazards:

· Marine pollutant: No

• Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

DOT

• **Quantity limitations**On passenger aircraft/rail: 60 L
On cargo aircraft only: 220 L

· UN "Model Regulation":

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355	(extremely hazardous substances):
N/A	

· Section 313 (Specific toxic chemical listings):	
N/A	

· TSCA (Toxic Substances Control Act):	
100-66-3	Butyl Hydroxy Anisol



acc. to OSHA HCS

· Proposition 65

· Chemicals known to cause cancer:	
100-66-3	Butyl Hydroxy Anisol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories

· EPA (Environmental Protection Agency)		
100-66-3	Butyl Hydroxy Anisol	3 (oral)

· TLV (Threshold Limit Value established by ACGIH)		
100-66-3	Butyl Hydroxy Anisol	A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
100-66-3	Butyl Hydroxy Anisol

[•] GHS label elements. The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:
- · Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.



acc. to OSHA HCS

Keep away from flames and hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



acc. to OSHA HCS

SECTION 16: OTHER INFORMATION

Copyright 2015 3D Beauty International License granted to make unlimited paper copies for internal use only. The above information is believed to be accurate but may not be all inclusive. Use only as a guide. The information in this document is based on our current knowledge. When information for the mixture is not available data is supplied for the individual components. Data given for components is for 100% concentration of that component. This information is applicable to the product under appropriate use conditions. This is not a guarantee of the properties of the product. 3D Beauty International and its affiliates shall not be held responsible or liable for any damages resulting from handling or from contact with the above product.

Preparation Information

3D Beauty International

Creation Date: 07/14/2015

Last Revision: 2/24/2018

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

: Flammable liquids, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3