

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/17/2020 Revision date: 01/08/2021

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : AHA/BHA Exfoliating Cleanser

Product code : 1066-04

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Murad, LLC 2121 Park Place, 1st Floor El Segundo, CA 90245 T (310) 726-0600 www.murad.com

1.4. Emergency telephone number

Emergency number : Chemtrec: 1-703-527-3887 International and Maritime Number (Collect calls accepted);

1-800-262-8200 US number

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Cocamidopropyl Betaine	(CAS-No.) 61789-40-0	<5	Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Butylene Glycol	(CAS-No.) 107-88-0	≤1	STOT SE 3, H335 STOT SE 3, H336
Glycol Stearate	(CAS-No.) 111-60-4	≤1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 2, H411
Phenoxyethanol	(CAS-No.) 122-99-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Irrit. 2A, H319
Glycerin	(CAS-No.) 56-81-5	<1	Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Laureth-9	(CAS-No.) 68439-50-9	<1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium Hydroxide	(CAS-No.) 1310-73-2	<1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
			Skin Corr. 1, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402
Glycolic Acid	(CAS-No.) 79-14-1	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Eye Dam. 1, H318 Repr. 2, H361 STOT RE 2, H373 Comb. Dust
Dipotassium Glycyrrhizate	(CAS-No.) 68797-35-3	<1	Aquatic Acute 3, H402
Salicylic Acid	(CAS-No.) 69-72-7	≤0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:dust,mist), H331 Eye Dam. 1, H318
Sodium Chloroacetate	(CAS-No.) 3926-62-3	<0.001	Repr. 2, H361
Dichloroacetic Acid	(CAS-No.) 79-43-6	<0.0001	Repr. 2, H361

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek

medical advice (show the label where possible).

: If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. First-aid measures after inhalation

Allow affected person to rest.

First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with

mild soap and water, followed by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

: Product is not explosive. Explosion hazard

Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from

entering environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

: Ventilate area. **Emergency procedures**

08/17/2020 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep container closed to avoid product contamination.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glycerin (56-81-5)	
Remark (ACGIH)	URT irr
OSHA PEL (TWA) (mg/m³)	15 mg/m³ (mist, total particulate) 5 mg/m³ (mist, respirable fraction)
Sodium Hydroxide (1310-73-2)	
ACGIH Ceiling (mg/m³)	2 mg/m³
OSHA PEL (TWA) (mg/m³)	2 mg/m³
US IDLH (mg/m³)	10 mg/m³
NIOSH REL (ceiling) (mg/m³)	2 mg/m³
US-NIOSH chemical category	SK: DIR(COR) Apr 2011
Urea (57-13-6)	
WEEL TWA (mg/m³)	10 mg/m³
Sodium Chloroacetate (3926-62-3)	
WEEL TWA (mg/m³)	2.5 mg/m ³
WEEL TWA (ppm)	0.5 ppm (OARS publication)
Dichloroacetic Acid (79-43-6)	
ACGIH TWA (ppm)	0.5 ppm
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans
Chloroacetic Acid (79-11-8)	
ACGIH TWA (ppm)	0.5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route, Not Classifiable as a Human Carcinogen
WEEL TWA (ppm)	0.5 ppm
AIHA chemical category	skin notation

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

08/17/2020 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Opaque viscous liquid

Color : White

Odor : Characteristic
Odor threshold : No data available

pH : 5.5 – 6.0

No data available Melting point : No data available Freezing point Boiling point No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available Vapor pressure No data available : No data available Relative vapor density at 20 °C Relative density No data available Specific gravity / density : 1.00 - 1.04 g/cm³ Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature No data available Decomposition temperature : No data available Viscosity 6,000 - 10,000 cP **Explosion limits** : No data available Explosive properties No data available

9.2. Other information

Oxidizing properties

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

LD50 oral rat

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

	Cocamidopropyl Betaine (61789-40-0) (Historical information; not tested on animals for cosmetics)	
ATE US (oral) 201000 mg/kg body weight		201000 mg/kg body weight
	LD50 oral rat	201 ml/kg
	Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	

: No data available

08/17/2020 EN (English US) 4/10

> 10000 mg/kg

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cocamidopropyl Betaine (61789-40-0) (Historia	cal information; not tested on animals for cosmetics)
LD50 dermal rabbit	> 2000 mg/kg
Glycerin (56-81-5) (Historical information; not tes	sted on animals for cosmetics)
LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10 g/kg
LC50 inhalation rat (mg/l)	> 570 mg/m³ (Exposure time: 1 h)
ATE US (oral)	12600 mg/kg body weight
ATE US (dust, mist)	0.5 mg/l/4h
Butylene Glycol (107-88-0) (Historical information	
LD50 oral rat	18610 mg/kg
LC50 inhalation rat (ppm)	> 60 ppm (Exposure time: 8 h)
ATE US (oral)	18610 mg/kg body weight
Glycol Stearate (111-60-4) (Historical information	
LD50 oral rat	> 5000 mg/kg
Phenoxyethanol (122-99-6) (Historical informati	
LD50 oral rat	1850 mg/kg
LD50 dermal rat	14422 mg/kg
LD50 dermal rabbit	5 ml/kg
LC50 inhalation rat (mg/l)	> 0.057 mg/l (Exposure time: 8 h)
ATE US (demonit)	1850 mg/kg body weight
ATE US (dermal) ATE US (dust, mist)	5000 mg/kg body weight 0.05 mg/l/4h
Sodium Chloride (7647-14-5) (Historical information	,
LD50 oral rat	3 g/kg
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)
ATE US (oral)	3000 mg/kg body weight
Laureth-9 (68439-50-9) (Historical information; n	
ATE US (oral)	500 mg/kg body weight
	500 mg/kg body weight
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information LD50 oral rat	500 mg/kg body weight nation; not tested on animals for cosmetics) 325 mg/kg
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of the LD50 oral rat LD50 dermal rabbit	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information LD50 oral rat LD50 dermal rabbit ATE US (oral)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of the LD50 oral rat LD50 dermal rabbit	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information LD50 oral rat LD50 dermal rabbit ATE US (oral)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight 1350 mg/kg body weight oot tested on animals for cosmetics)
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight 1350 mg/kg body weight oot tested on animals for cosmetics)
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (gases)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (gases) ATE US (vapors)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (gases)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (gases) ATE US (vapors)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rate LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (oral) ATE US (vapors) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg not tested on animals for cosmetics)
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg not tested on animals for cosmetics)
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat Salicylic Acid (69-72-7) (Historical information; rat LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) ATE US (oral)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg not tested on animals for cosmetics) 891 mg/kg > 2 g/kg
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight not tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg not tested on animals for cosmetics) 891 mg/kg > 2 g/kg > 900 mg/m³ (Exposure time: 1 h)
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat Salicylic Acid (69-72-7) (Historical information; rat LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) ATE US (oral)	mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight oot tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg oot tested on animals for cosmetics) > 2 g/kg > 900 mg/m³ (Exposure time: 1 h) 891 mg/kg body weight 0.5 mg/l/4h
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (vapors) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 inhalation rat (mg/l) ATE US (oral)	mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight oot tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg oot tested on animals for cosmetics) > 2 g/kg > 900 mg/m³ (Exposure time: 1 h) 891 mg/kg body weight 0.5 mg/l/4h
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (yapors) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (dust, mist)	500 mg/kg body weight mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight oot tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg oot tested on animals for cosmetics) > 2 g/kg > 900 mg/m³ (Exposure time: 1 h) 891 mg/kg body weight 0.5 mg/l/4h tested on animals for cosmetics)
ATE US (oral) Sodium Hydroxide (1310-73-2) (Historical information of LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) Glycolic Acid (79-14-1) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (oral) ATE US (yapors) ATE US (vapors) ATE US (dust, mist) Sodium Sulfate (7757-82-6) (Historical information; rat LD50 oral rat LD50 oral rat LD50 oral rat LC50 inhalation rat (mg/l) ATE US (dust, mist) Salicylic Acid (69-72-7) (Historical information; rat LC50 inhalation rat (mg/l) ATE US (oral) ATE US (dust, mist) Lactic Acid (50-21-5) (Historical information; not LD50 oral rat	mation; not tested on animals for cosmetics) 325 mg/kg 1350 mg/kg 325 mg/kg body weight 1350 mg/kg body weight 1350 mg/kg body weight ot tested on animals for cosmetics) 1950 mg/kg 3.6 mg/l/4h 1950 mg/kg body weight 4500 ppmV/4h 3.6 mg/l/4h 3.6 mg/l/4h on; not tested on animals for cosmetics) > 10000 mg/kg not tested on animals for cosmetics) 891 mg/kg > 2 g/kg > 900 mg/m³ (Exposure time: 1 h) 891 mg/kg body weight 0.5 mg/l/4h 1.5 mg/kg

08/17/2020 EN (English US) 5/10

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Citric Acid (77-92-9) (Historical information; not	tested on animals for cosmetics)
LD50 oral rat	3 g/kg
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	3000 mg/kg body weight
ATE US (dust, mist)	0.005 mg/l/4h
Disodium EDTA (139-33-3) (Historical information	on; not tested on animals for cosmetics)
LD50 oral rat	2 g/kg
ATE US (oral)	2000 mg/kg body weight
Cocamidopropyl Dimethylamine (68140-01-2)	(Historical information; not tested on animals for cosmetics)
LD50 oral rat	200 mg/kg
ATE US (oral)	200 mg/kg body weight
	storical information; not tested on animals for cosmetics)
LD50 dormal rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Urea (57-13-6) (Historical information; not tested	· ·
LD50 oral rat	8471 mg/kg
ATE US (oral)	8471 mg/kg body weight
Taurine (107-35-7) (Historical information; not te	sted on animals for cosmetics)
LD50 oral rat	> 700 mg/kg
ATE US (oral)	500 mg/kg body weight
Sodium Chloroacetate (3926-62-3) (Historical in	nformation; not tested on animals for cosmetics)
LD50 oral rat	335 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	335 mg/kg body weight
Potassium Sorbate (24634-61-5) (Historical info	
LD50 oral rat	3200 mg/kg
ATE US (oral)	3200 mg/kg body weight
Dichloroacetic Acid (79-43-6) (Historical inform	
LD50 dormal rabbit	2820 mg/kg
LD50 dermal rabbit	510 mg/kg
ATE US (oral) ATE US (dermal)	2820 mg/kg body weight
	510 mg/kg body weight
Chloroacetic Acid (79-11-8) (Historical informat	
LD50 oral rat	55 mg/kg
LD50 dermal rabbit	250 mg/kg
LC50 inhalation rat (mg/l)	180 mg/m³ (Exposure time: 4 h)
ATE US (oral)	55 mg/kg body weight
ATE US (dermal)	250 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	0.18 mg/l/4h
ATE US (dust, mist)	0.18 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 5.5 – 6.0
Serious eye damage/irritation	: Not classified
	pH: 5.5 – 6.0
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

08/17/2020 EN (English US) 6/10

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

Toxicity

Z. I. Toxiotty	
Cocamidopropyl Betaine (61789-40-0) (Histori	cal information; not tested on animals for cosmetics)
LC50 fish 1	1 – 10 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	6.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
Glycerin (56-81-5) (Historical information; not te	sted on animals for cosmetics)
LC50 fish 1	> 5000 mg/l
Phenoxyethanol (122-99-6) (Historical informati	ion; not tested on animals for cosmetics)
LC50 fish 2	≥ 366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Sodium Chloride (7647-14-5) (Historical information	ation; not tested on animals for cosmetics)
LC50 fish 1	5560 – 6080 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 – 469.2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Sodium Hydroxide (1310-73-2) (Historical information	mation; not tested on animals for cosmetics)
LC50 fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Glycolic Acid (79-14-1) (Historical information;	not tested on animals for cosmetics)
LC50 fish 1	> 5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Sodium Sulfate (7757-82-6) (Historical informat	tion; not tested on animals for cosmetics)
LC50 fish 1	13500 – 14500 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	2564 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 6800 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Salicylic Acid (69-72-7) (Historical information;	not tested on animals for cosmetics)
EC50 Daphnia 1	870 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Citric Acid (77-92-9) (Historical information; not	tested on animals for cosmetics)
LC50 fish 1	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
Disodium EDTA (139-33-3) (Historical information	on; not tested on animals for cosmetics)
LC50 fish 1	320 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [semi-static])
Cocamidopropyl Dimethylamine (68140-01-2)	(Historical information; not tested on animals for cosmetics)
EC50 Daphnia 1	0.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Urea (57-13-6) (Historical information; not tested	d on animals for cosmetics)
LC50 fish 1	16200 – 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Potassium Sorbate (24634-61-5) (Historical info	ormation; not tested on animals for cosmetics)
LC50 fish 1	1250 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	750 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Daphnia 1 Chloroacetic Acid (79-11-8) (Historical information of the control of the contro	
<u> </u>	
Chloroacetic Acid (79-11-8) (Historical information	tion; not tested on animals for cosmetics)

12.2. Persistence and degradability

Not established.

12.3. **Bioaccumulative potential**

Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)	
BCF fish 1	(no bioaccumulation)

08/17/2020 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-1.76
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow) 1.13 (at 25 °C)	
Sodium Chloride (7647-14-5) (Historical information; not tested on animals for cosmetics)	

BCF fish 1 (no bioaccumulation)

Glycolic Acid (79-14-1) (Historical information;	not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) -1.11 (at 19 °C)

 Salicylic Acid (69-72-7) (Historical information; not tested on animals for cosmetics)

 BCF fish 1
 ≥ 1000

 Partition coefficient n-octanol/water (Log Pow)
 0 - 2.26 (at 37 °C)

Citric Acid (77-92-9) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) -1.72 (at 20 °C)

Urea (57-13-6) (Historical information; not tested on animals for cosmetics)

BCF fish 1 < 10
Partition coefficient n-octanol/water (Log Pow) -1.59 (at 25 °C)

Chloroacetic Acid (79-11-8) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) 0.2

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated as hazmat for transport

Transportation of Dangerous Goods

Not regulated as hazmat for transport

Transport by sea

Not regulated as hazmat for transport

Air transport

Not regulated as hazmat for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

08/17/2020 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Glycerin (56-81-5)	U.S New Jersey - Right to Know Hazardous Substance List
Phenoxyethanol (122-99-6)	U.S Pennsylvania - RTK (Right to Know) List
Sodium Hydroxide (1310-73-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S Pennsylvania - RTK (Right to Know) List
Sodium Sulfate (7757-82-6)	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S Pennsylvania - RTK (Right to Know) List
Sodium Chloroacetate (3926-62-3)	U.S New Jersey - Right to Know Hazardous Substance List
Dichloroacetic Acid (79-43-6)	U.S New Jersey - Right to Know Hazardous Substance List
Chloroacetic Acid (79-11-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Data sources

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 3:

ιιe	ixi di m-prirases listed ili section s.	
	H290 ·	May be corrosive to metals
	H301	Toxic if swallowed
	H302	Harmful if swallowed
	H311	Toxic in contact with skin
	H312	Harmful in contact with skin
	H314	Causes severe skin burns and eye damage
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H318	Causes serious eye damage
	H319	Causes serious eye irritation
	H330	Fatal if inhaled
	H331	Toxic if inhaled
	H332	Harmful if inhaled
	H334	May cause an allergy or asthma symptoms or breathing difficulties if inhaled
	H335	May cause respiratory irritation
	H336	May cause drowsiness or dizziness
	H341	Suspected of causing genetic defects
	H351	Suspected of causing cancer
	H361	Suspected of damaging fertility or the unborn child
	H371	May cause damage to organs
	H372	Causes damage to organs through prolonged or repeated exposure
	H373	May cause damage to organs through prolonged or repeated exposure
	H400	Very toxic to aquatic life
	H401	Toxic to aquatic life
	H402	Harmful to aquatic life
	H411	Toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects

NFPA health hazard

: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions,

including intrinsically noncombustible materials such as concrete, stone, and sand.

: 0 - Material that in themselves are normally stable, even under fire conditions.

0

Hazard Rating

NFPA reactivity

Health : 0 Minimal Hazard - No significant risk to health Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

08/17/2020 EN (English US) 9/10

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

08/17/2020 EN (English US) 10/10