August 18, 2015

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME: Cuccio Colour - Bean There Done That!

Product Use: Nail Enamel Lacquer (CLEAR GLITTER SUSPENSION BASE)Manufacturer's Name :
Address :Star Nail International, Inc.Chemical Family : NitrocelluloseAddress :
City, State, Zip :29120 Avenue Paine
Valencia, CA 91355Proprietary Mix
CAS# N/A

Preparation Date: August 18, 2015 24 HR. EMERGENCY TELEPHONE: CHEMTEL 1-813-248-0573

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS #	%	Hazard Symbol	Risk Phrases
Ethyl Acetate (**)	141- 78- 6	20- 35%	F, XI	R11, R36, R66, R67
Butyl Acetate (**)	123-86-4	15-30%	F	R10, R66, R67
Nitrocellulose	9004-70-0	5-20%	F	R11
Ethyl Alcohol	64-17-5	1-15%	F	R11
Isopropyl Alcohol * (**)	67-63-0	1-15%	F	R37, R11, R36, R67
Triphenyl Phosphate	115-86-6	0-10%	Ν	R50, R53

* Indicates toxic chemical (s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372.

** Indicates chemical subject to reporting requirements under CERCLA

SECTION 3 : HAZARDS IDENTIFICATION

Flammability	: Highly Flammable	
Inhalation	nalation : Prolonged inhalation may be harmful.	
	: Can cause drowsiness, headaches, nausea, vomiting and narcosis.	
	: May cause lung irritation.	
Skin	: Mild skin irritant, can cause non- allergic contact dermatitis.	
Eyes	: Eye irritant both liquid and vapor	
Ingestion	: Causes gastro- intestinal irritation, nausea, vomiting and diarrhea.	
	: Kidney damage	
Risk Phrases	/Hazard Symbols: NOTE: Definition of listed Risk Phrases and Hazard Symbols (Section 2) can be found in S	

Risk Phrases/Hazard Symbols: NOTE: Definition of listed Risk Phrases and Hazard Symbols (Section 2.) can be found in Section 15.

SECTION 4 : FIRST AID MEASURES

Inhalation : Remove casualty to fresh air.

: Seek medical attention.

Skin : Wash off with propriety remover, wash affected area with soap and water.

Eyes : Irrigate with copious amounts of sterile water. : Seek medical attention.

Ingestion : Do not induce vomiting. SEEK IMMEDIATE MEDICAL ATTENTION

SECTION 5 : FIRE FIGHTING MEASURES

MAGNITUDE	APPLICABLE EXTINGUISHER TYPE	
Small fire	Carbon Dioxide, foam or dry chemical extinguishers.	
Large fire	Water or foam extinguishers, water fog.	
note:- In all cases keep nearby containers cool by spraying with water.		
Keep away from heat and sources of ignition		

SECTION 6 : ACCIDENTAL RELEASE MEASURES _____

Personal Precautions Use suitable protective clothing/equipment. Eliminate all sources of ignition. No Smoking.

Methods Of Cleaning Up Contain spillage with earth or sand.

Mop up small spill

Sweep up, use sand or earth to absorb spill for larger spillages

Environmental Precautions Do not allow to enter water courses or drains

Dispose in accordance with local regulation

Local authorities should be advised if significant spillages cannot be contained.

SECTION 7 : HANDLING AND STORAGE

Storage

Keep containers tightly closed, cool, dry, and away from sources of ignition, label containers Eliminate possible point ignition sources, e.g. No smoking, Naked flames, static discharges. Use flame proof electrical equipment.

Handling

No Smoking Prevent static discharges.

Exposure by inhalation or skin contact should be minimized by good industrial hygiene. Vapor is heavier than air, spreads along the ground.

Vapor can form an explosive mixture in air, prevalent in empty unclean vessels. Use non- sparking utensils when handling this material.

_____ SECTION 8 : EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Levels

Substance

OSHA - PEL



ACGIH Ethvl Acetate (******) Butyl Acetate (**) Nitrocellulose Ethyl Alcohol Isopropyl Alcohol * (**) Triphenyl Phosphate

400 ppm 150 ppm Not established Not established 1000 ppm 400 ppm <1

400 ppm 150 ppm 1000 ppm 200 ppm <1

Ventilation and extraction of appropriate design is necessary to meet the above levels.

Personal Protection Chemical goggles should be worn. Impervious gloves and overalls should also be worn. An approved respirator should be worn if the maximum exposure levels above are surpassed. HMIS RATING Hazard Rating: (0=least, 1=slight, 2=moderate, 3=serious, 4=severe) HEALTH: 2 FIRE: 3 REACTIVITY: 1 PP: G

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid Boiling/melting Point: Undefined Flash Point: - 4° C or 24° F Method: TCC (Tag Closed Cup) Upper/lower explosion limits: Undefined Water Solubility: Insoluble Vapor Density: Heavier than air Specific Gravity (H2O=1): 0.98- 1.10

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions, affected by U.V., store away from direct sunlight.

Incompatible With: Strong oxidizing agents. Acids, Alkalines, and Peroxides

Hazardous Decomposition: Combustion of nitrocellulose may evolve nitrous oxid (poisonous) fumes. CO, CO2, Nitrous Oxides, Smoke

Conditions to avoid: Flame, Electric spark, static and heat. Do not store @ Temperature Over 120°

Hazardous Polymerization: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicity:- LD 50 Rat:- Undefined

Organic solvents in the product may lead to removal of lipid soluble elements of the skin leading to non- allergic dermatitis upon repeated prolonged contact.

Vapor from solvents may cause: ill effects to the renal system; central nervous system problems; irritation to the respiratory tracts and other various mucosal membranes.

SECTION 12: ECOLOGICAL INFORMATION

Product should not be allowed to enter drains or water courses. Used in large volumes, this product may incur the requirements of the Environmental Protection Act (pollution

control/air).

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of product in accordance with local, county, state, and federal government Regulations.

SECTION 14: TRANSPORT INFORMATION

Proper Shipping Name : Paint				
Technical Name	: Nitrocellulose Lacquer			
U.N. number	: 1263			
DOT Hazard Class	: 3 (Flammable Liquid)			
Packing Group	: II			
Flash Point	: - 4° C or 24° F TCC (Tag Closed Cup)			
ADR	: Class 3; F1			
Marine Pollutant	: Yes (Triphenyl Phosphate)			

SECTION 15: REGULATORY INFORMATION

UNITED STATES FEDERAL REGULATIONS: SARA: See section 2 for reportable material

SARA TITLE III: See Section 2

CERCLA: See Section 2

TSCA: - Components in this product have been verified as being on the TSCA Inventory and have been classified in accordance with the hazard criteria of the CFR and all information required.-

STATE REGULATIONS: Proposition 65: None

EU Risk Phrases :	R10 Flammable		
	R11 Highly Flammable R20 Harmful by inhalation R21 Harmful in contact with skin R22 Harmful if swallowed R36 Irritating to eyes		
	R37 Irritating to respiratory system		
	R38 Irritating to skin		
	 R41 Risk of serious damage to eyes R43 May cause sensitization by skin contact R50 Very toxic to aquatic organisms R53 May cause longterm adverse effects in the aquatic environment R65 Harmful: may cause lung damage if swallowed 		
	R66 Repeated exposure may cause skin dryness or cracking		
	R67 Vapors may cause drowsiness and dizziness.		
EU Safety Phrases :	S16 Keep away from sources of ignition- No Smoking		
	S23 Do not breathe vapor.		
	S25 Avoid contact with eyes.		
	S29 Do not empty into drains.		



August 18, 2015

S33 Take precautionary measures against.

Hazard Symbols :

Xn - Harmful Xi - Irritant

F - Highly Flammable

NOTE: The appropriate Risk Phrases and Hazard Symbols pertaining to this product are listed Section 2.

SECTION 16: ADDITIONAL REGULATORY INFORMATION

Preparation Date of SDS: August 18, 2015

DISCLAIMER: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. Star Nail International assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

END OF SDS