

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 12/15/2020

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++
Product code : 1093-09

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics
Restrictions on use : US FDA OTC Sunscreen Products

1.3. Supplier

Murad, LLC
2121 Park Place, 1st Floor
El Segundo, CA 90245
T (310) 726-0600
www.murad.com

1.4. Emergency telephone number

Emergency number : (310) 726-0600

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Ethylhexyl Salicylate	(CAS-No.) 118-60-5	≤5	Aquatic Acute 3, H402
Octocrylene	(CAS-No.) 6197-30-4	≤5	Aquatic Chronic 4, H413
Butylene Glycol	(CAS-No.) 107-88-0	<5	STOT SE 3, H335 STOT SE 3, H336
Phenoxyethanol	(CAS-No.) 122-99-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Irrit. 2A, H319
Glycerin	(CAS-No.) 56-81-5	<1	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Ethylhexylglycerin	(CAS-No.) 70445-33-9	<1	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Disodium EDTA	(CAS-No.) 139-33-3	≤0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Comb. Dust
Sodium Hydroxide	(CAS-No.) 1310-73-2	≤0.1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
Limonene	(CAS-No.) 5989-27-5	<0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
t-Butyl Alcohol	(CAS-No.) 75-65-0	<0.01	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
Linalool	(CAS-No.) 78-70-6	<0.01	Flam. Liq. 4, H227 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Citral	(CAS-No.) 5392-40-5	<0.01	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Not flammable.
- Explosion hazard : Product is not explosive.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep container closed to avoid product contamination.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glycerin (56-81-5)	
Remark (ACGIH)	URT irr
OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (mist, total particulate) 5 mg/m ³ (mist, respirable fraction)
Sodium Hydroxide (1310-73-2)	
ACGIH Ceiling (mg/m ³)	2 mg/m ³
OSHA PEL (TWA) (mg/m ³)	2 mg/m ³
US IDLH (mg/m ³)	10 mg/m ³
NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³
US-NIOSH chemical category	SK: DIR(COR) Apr 2011
Limonene (5989-27-5)	
WEEL TWA [ppm]	30 ppm
t-Butyl Alcohol (75-65-0)	
ACGIH TWA (ppm)	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) (mg/m ³)	300 mg/m ³
OSHA PEL (TWA) (ppm)	100 ppm
US IDLH (ppm)	1600 ppm
NIOSH REL (TWA) (mg/m ³)	300 mg/m ³
NIOSH REL TWA [ppm]	100 ppm
NIOSH REL (STEL) (mg/m ³)	450 mg/m ³
NIOSH REL STEL [ppm]	150 ppm
Urea (57-13-6)	
WEEL TWA (mg/m ³)	10 mg/m ³
Citral (5392-40-5)	
ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque slightly viscous liquid
Color	: White, Off-white
Odor	: Characteristic
Odor threshold	: No data available
pH	: 6.5 – 7.2
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.00 – 1.04 g/cm ³
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: 10,000 – 30,000 cP
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Water (7732-18-5) (Historical information; not tested on animals for cosmetics)

LD50 oral rat > 90 ml/kg

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Octocrylene (6197-30-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg
Butylene Glycol (107-88-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	18610 mg/kg
LC50 Inhalation - Rat [ppm]	> 60 ppm (Exposure time: 8 h)
ATE US (oral)	18610 mg/kg body weight
Cetearyl Alcohol (67762-27-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 8000 mg/kg
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1850 mg/kg
LD50 dermal rat	14422 mg/kg
LD50 dermal rabbit	5 ml/kg
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h)
ATE US (oral)	1850 mg/kg body weight
ATE US (dermal)	5000 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h
Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10 g/kg
LC50 Inhalation - Rat	> 2.75 mg/l/4h
ATE US (oral)	12600 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
Sodium Hydroxide (1310-73-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	325 mg/kg
LD50 dermal rabbit	1350 mg/kg
ATE US (oral)	325 mg/kg body weight
ATE US (dermal)	1350 mg/kg body weight
Disodium EDTA (139-33-3) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2 g/kg
ATE US (oral)	2000 mg/kg body weight
Laureth-12 (68213-23-0) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rabbit	2500 mg/kg
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
ATE US (vapors)	0.5 mg/l/4h
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
ATE US (oral)	4400 mg/kg body weight
Glucose (50-99-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	25800 mg/kg
ATE US (oral)	25800 mg/kg body weight
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2200 mg/kg
LD50 dermal rabbit	> 2 g/kg
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	8471 mg/kg
ATE US (oral)	8471 mg/kg body weight
Sodium Hyaluronate (9067-32-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 800 mg/kg
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg
LD50 dermal rabbit	2000 mg/kg
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
Propyl Gallate (121-79-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2100 mg/kg
ATE US (oral)	2100 mg/kg body weight
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight
Oleanolic Acid (508-02-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 2 g/kg
Taurine (107-35-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 700 mg/kg
ATE US (oral)	500 mg/kg body weight
Retinyl Palmitate (79-81-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7910 mg/kg
ATE US (oral)	7910 mg/kg body weight
Salicylic Acid (69-72-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	891 mg/kg
LD50 dermal rat	> 2 g/kg
LC50 Inhalation - Rat	> 900 mg/m ³ (Exposure time: 1 h)
ATE US (oral)	891 mg/kg body weight
ATE US (dust, mist)	0.5 mg/l/4h
Potassium Sorbate (24634-61-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3200 mg/kg
ATE US (oral)	3200 mg/kg body weight
Sorbic Acid (110-44-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3200 mg/kg
ATE US (oral)	3200 mg/kg body weight

Skin corrosion/irritation	: Not classified pH: 6.5 – 7.2
Serious eye damage/irritation	: Not classified pH: 6.5 – 7.2
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

Ethylhexyl Salicylate (118-60-5) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	> 82 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Cetearyl Alcohol (67762-27-0) (Historical information; not tested on animals for cosmetics)	
EC50 Daphnia 1	1666 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
LC50 fish 2	≥ 366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	> 5000 mg/l
Sodium Hydroxide (1310-73-2) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Disodium EDTA (139-33-3) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	320 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [semi-static])
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LC50 fish 2	> 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
EC50 Daphnia 2	4607 – 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	16200 – 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Salicylic Acid (69-72-7) (Historical information; not tested on animals for cosmetics)	
EC50 Daphnia 1	870 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Potassium Sorbate (24634-61-5) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	1250 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	750 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Sorbic Acid (110-44-1) (Historical information; not tested on animals for cosmetics)	
LC50 fish 1	75 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
EC50 Daphnia 1	353.54 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Cetearyl Alcohol (67762-27-0) (Historical information; not tested on animals for cosmetics)	
BCF fish 1	1300 (activated sludge)
Partition coefficient n-octanol/water (Log Pow)	6.65
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.13 (at 25 °C)
Glycerin (56-81-5) (Historical information; not tested on animals for cosmetics)	
BCF fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.76
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
BCF fish 1	1.09
Partition coefficient n-octanol/water (Log Pow)	0.35

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6) (Historical information; not tested on animals for cosmetics)	
BCF fish 1	< 10
Partition coefficient n-octanol/water (Log Pow)	-1.59 (at 25 °C)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.1 (at 25 °C)
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Salicylic Acid (69-72-7) (Historical information; not tested on animals for cosmetics)	
BCF fish 1	≥ 1000
Partition coefficient n-octanol/water (Log Pow)	0 – 2.26 (at 37 °C)
Sorbic Acid (110-44-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.38 (at 20 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated as hazmat for transport

Transportation of Dangerous Goods

Not regulated as hazmat for transport

Transport by sea

Not regulated as hazmat for transport

Air transport

Not regulated as hazmat for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm above the established NSRL or MADL

U.S. - California - Proposition 65: Retinyl Palmitate (79-81-2)					
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	No significance risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No	8,000 IU/day if pregnant or nursing 10,000 IU/day	

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Phenoxyethanol (122-99-6)	U.S. - Pennsylvania - RTK (Right to Know) List
Glycerin (56-81-5)	U.S. - New Jersey - Right to Know Hazardous Substance List
Sodium Hydroxide (1310-73-2)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

SECTION 16: Other information

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.


Full text of H-phrases listed in Section 2 & Section 3:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H290	May be corrosive to metals
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

Oil & Pore Control Mattifier Broad Spectrum SPF 45 PA++++

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.