

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

1 Identification

- **Product identifier**
- **Trade name:** Wella colorcharm Permanent Liquid Toner (all shades) Family SDS
- **Article number:**
 98998421, 315000013023 Wella colorcharm Permanent Liquid Toner Modell
 315000021082; 99293526-T10
 315000021081; 99293427-T11
 315000013023; 98998421-T14
 315000011758; 96682444-T15
 315000013024; 98998928-T18
 315000011759; 96682446-T27
 315000011760; 96682447-T28
 315000013022; 98998229-T35
 315003002492; 99200006329-T81
 315003002491; 99200006330-T19
 315003002493; 99200006328-T30
 315003001578; 99200005354-T05
- **Application of the substance / the mixture** Hair coloring product
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Wella International Operations Switzerland Sàrl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland
- **Information department:** Wella SDS Info Team
- **Emergency telephone number:**
 CHEMTREC Emergency number: +1-704-741-5970
 CHEMTREC: +1 703-741-5970

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: **Wella colorcharm Permanent Liquid Toner (all shades) Family SDS**

(Contd. of page 1)

· **Hazard pictograms**

GHS02 GHS05 GHS07

· **Signal word** *Danger*· **Hazard-determining components of labeling:**

2-[2-(dodecyloxy)ethoxy]ethanol
 ammonia, anhydrous
 2-methyl-p-phenylenediamine sulphate

· **Hazard statements**

Flammable liquid and vapor.
 Causes skin irritation.
 Causes serious eye damage.
 May cause an allergic skin reaction.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wash thoroughly after handling.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Immediately call a poison center/doctor.
 Specific treatment (see on this label).
 Take off contaminated clothing and wash it before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 In case of fire: Use CO₂, powder or water spray to extinguish.
 Store in a well-ventilated place. Keep cool.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
 · **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization:** *Mixtures*· **Description:** *Mixture of the substances listed below with nonhazardous additions.*· **Dangerous components:**

112-80-1	Oleic Acid	>10- <20%
67-63-0	isopropyl alcohol	>10- <20%

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 2)

3055-93-4	2-[2-(dodecyloxy)ethoxy]ethanol	≥3- <5%
7664-41-7	ammonia, anhydrous	≥1- ≤2.5%
615-50-9	2-methyl-p-phenylenediamine sulphate	≥0.1- <1%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

112-80-1	Oleic Acid	220 mg/m ³
67-63-0	isopropyl alcohol	400 ppm
7664-41-7	ammonia, anhydrous	30 ppm
139-33-3	Disodium EDTA	11 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 3)

7757-83-7	sodium sulphite	11 mg/m ³
108-46-3	resorcinol	20 ppm
591-27-5	3-aminophenol	3 mg/m ³
5989-27-5	Limonene	15 ppm

· PAC-2:

112-80-1	Oleic Acid	2,400 mg/m ³
67-63-0	isopropyl alcohol	2000* ppm
7664-41-7	ammonia, anhydrous	160 ppm
139-33-3	Disodium EDTA	120 mg/m ³
7757-83-7	sodium sulphite	120 mg/m ³
108-46-3	resorcinol	28 ppm
591-27-5	3-aminophenol	33 mg/m ³
5989-27-5	Limonene	67 ppm

· PAC-3:

112-80-1	Oleic Acid	15,000 mg/m ³
67-63-0	isopropyl alcohol	12000** ppm
7664-41-7	ammonia, anhydrous	1,100 ppm
139-33-3	Disodium EDTA	730 mg/m ³
7757-83-7	sodium sulphite	710 mg/m ³
108-46-3	resorcinol	170 ppm
591-27-5	3-aminophenol	200 mg/m ³
5989-27-5	Limonene	170 ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed.

· Storage class: 3

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 4)

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-63-0 isopropyl alcohol

PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

7664-41-7 ammonia, anhydrous

PEL	Long-term value: 35 mg/m ³ , 50 ppm
REL	Short-term value: 27 mg/m ³ , 35 ppm Long-term value: 18 mg/m ³ , 25 ppm
TLV	Short-term value: 35 ppm Long-term value: 25 ppm

- **Ingredients with biological limit values:**

67-63-0 isopropyl alcohol

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 5)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** 10.5

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.

· **Flash point:** 35 °C (95 °F)

· **Flammability (solid, gaseous):** Flammable.

· **Auto igniting:** 360 °C (680 °F)

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

· Lower:	2 Vol %
· Upper:	12 Vol %

· **Vapor pressure at 20 °C (68 °F):** 43 hPa (32.3 mm Hg)

· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 6)

· Solvent content:	
Organic solvents:	15.0 %
Water:	33.2 %
VOC content:	15.00 %
	150.0 g/l / 1.25 lb/gal

Solids content:	1.2 %
------------------------	-------

· Other information	No further relevant information available.
----------------------------	--

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

112-80-1 Oleic Acid

Oral	LD50	>2,000 mg/kg (rat) (bw)
Dermal	LD50	>2,150 mg/kg (rabbit) (bw)

67-63-0 isopropyl alcohol

Oral	LD50	5,840 mg/kg (rat) (bw (//OECD 401))
Dermal	LD50	12,956 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	>24.578 mg/l (rat) (air (//OECD 403))

3055-93-4 2-[2-(dodecyloxy)ethoxy]ethanol

Oral	LD50	>2,000 mg/kg (rat)
------	------	--------------------

7664-41-7 ammonia, anhydrous

Oral	LD50	350 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)

615-50-9 2-methyl-p-phenylenediamine sulphate

Oral	LD50	183 mg/kg (rat) (bw)
Dermal	LD50	1,100 mg/kg (rabbit)
Inhalative	LC50/4 h	1.77 mg/l (rat) (air (QSAR))

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 7)

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

67-63-0	isopropyl alcohol	3
108-46-3	resorcinol	3
5989-27-5	Limonene	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA**

UN1266

· **UN proper shipping name**

· **DOT**

· **IMDG, IATA**

Perfumery products

PERFUMERY PRODUCTS

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: **Wella colorcharm Permanent Liquid Toner (all shades) Family SDS**

(Contd. of page 8)

· **Transport hazard class(es)**· **DOT**

· **Class** 3 Flammable liquids
 · **Label** 3

· **IMDG, IATA**

· **Class** 3 Flammable liquids
 · **Label** 3

· **Packing group**· **DOT, IMDG, IATA** III· **Environmental hazards:** Not applicable.· **Special precautions for user** Warning: Flammable liquids· **Hazard identification number (Kemler code):** 30· **EMS Number:** F-E,S-D· **Segregation groups** (SGG18) Alkalies· **Stowage Category** A· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.· **Transport/Additional information:**· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 60 L
 On cargo aircraft only: 220 L

· **IMDG**· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 1266 PERFUMERY PRODUCTS, 3, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 No further relevant information available.

· **Sara**· **Section 355 (extremely hazardous substances):**

7664-41-7 ammonia, anhydrous

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 9)

· Section 313 (Specific toxic chemical listings):

67-63-0	isopropyl alcohol
7664-41-7	ammonia, anhydrous

· TSCA (Toxic Substances Control Act):

7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
127036-24-2	Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-, branched and linear	ACTIVE
112-80-1	Oleic Acid	ACTIVE
67-63-0	isopropyl alcohol	ACTIVE
3055-93-4	2-[2-(dodecyloxy)ethoxy]ethanol	ACTIVE
7664-41-7	ammonia, anhydrous	ACTIVE
139-33-3	Disodium EDTA	ACTIVE
50-81-7	ascorbic acid	ACTIVE
7757-83-7	sodium sulphite	ACTIVE
615-50-9	2-methyl-p-phenylenediamine sulphate	ACTIVE
108-46-3	resorcinol	ACTIVE
591-27-5	3-aminophenol	ACTIVE
106-22-9	Citronellol	ACTIVE
106-24-1	geraniol	ACTIVE
5989-27-5	Limonene	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

67-63-0	isopropyl alcohol	A4
108-46-3	resorcinol	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 10)

· **Hazard pictograms**



GHS02 GHS05 GHS07

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

2-[2-(dodecyloxy)ethoxy]ethanol
 ammonia, anhydrous
 2-methyl-p-phenylenediamine sulphate

· **Hazard statements**

Flammable liquid and vapor.
Causes skin irritation.
Causes serious eye damage.
May cause an allergic skin reaction.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO₂, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** *Abteilung Umweltschutz*

· **Contact:** *Hr. Dr. Speckbacher*

· **Date of preparation / last revision** *11/14/2023*

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

(Contd. on page 12)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2023

Reviewed on 01/25/2019

Trade name: Wella colorcharm Permanent Liquid Toner (all shades) Family SDS

(Contd. of page 11)

*CAS: Chemical Abstracts Service (division of the American Chemical Society)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Flammable Liquids 3: Flammable liquids – Category 3**Skin Irritation 2: Skin corrosion/irritation – Category 2**Eye Damage 1: Serious eye damage/eye irritation – Category 1**Sensitization - Skin 1: Skin sensitisation – Category 1*

US